

## Epson TM-T88VI (111P0): PDN, Serial, USB, Ethernet, PS, Black, EU

**Tuotemerkki :** Epson

**Tuotekoodi:** C31CE94111P0

**Tuotteen nimi :** TM-T88VI (111P0): PDN, Serial, USB, Ethernet, PS, Black, EU

- Suuri tulostusnopeus: Tulostus jopa 350 mm:n sekuntinopeudella
- Erinomainen luotettavuus: Epsonin hyväksi todettua luotettavuutta
- Yhteentoimivuus: Mahdollistaa PC:n, mobiililaitteen ja verkon käytön samaan aikaan
- Palvelinsuoratulostus: Tulosta verkkopalvelimelta suoraan yhdistettyyn kuititulostimeen
- Jäljitteiden tuki: Antaa mobiililaitteiden tulostaa lähimpään käytettävissä olevaan tulostimeen

TM-T88VI (111P0): PDN, Serial, USB, Ethernet, PS, Black, EU

Epson TM-T88VI (111P0): PDN, Serial, USB, Ethernet, PS, Black, EU. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 180 x 180 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 80 mm, Materiaalin paksuus: 48 - 80 mm. Yhteysteknologia: Langallinen & langaton, USB-liitin: USB Type-A / USB Type-B, Sarjaliitännän tyyppi: RS-232. Keskimääräinen vikaantumisaika: 360000 h, Automaattisen leikkaajan kestävyys: 3 miljoonaa leikkausta, Tulostuspään ikä: 200 km. Tuotteen väri: musta



<b>Printing</b>		<b>Operational conditions</b>	
Maximum resolution	180 x 180 DPI	Operating relative humidity (H-H)	10 - 90%
Print speed	300 mm/sec	Storage relative humidity (H-H)	10 - 90%
Print speed (receipt)	350 mm/sec	<b>System requirements</b>	
Printing characters	Text, Graphic, Barcode	Pre-installed software	Print Data Notification
Character sets	ANK	<b>Weight &amp; dimensions</b>	
Print technology *	Direct thermal	Width	145 mm
Type *	POS printer	Depth	195 mm
<b>Paper handling</b>		Height	148 mm
Maximum roll diameter	8.3 cm	Weight	1.6 kg
Supported paper width	80 mm	<b>Packaging data</b>	
Media thickness	48 - 80 mm	Quantity per pack	1 pc(s)
<b>Ports &amp; interfaces</b>		Package width	193 mm
USB port *	✓	Package depth	240 mm
USB connector	USB Type-A / USB Type-B	Package height	235 mm
Serial interface *	✓	Package weight	2.6 kg
Serial interface type	RS-232	<b>Print technology</b>	
Connectivity technology *	Wired & Wireless	Column capacity	58/80
Near Field Communication (NFC)	✓	<b>Logistics data</b>	
Standard interfaces	Ethernet, NFC, RS-232, USB 2.0	Pallet weight (UK)	0 g
<b>Network</b>		Harmonized System (HS) code	84433210
Ethernet LAN *	✓	Products per master (outer) case	4 pc(s)
<b>Features</b>		Master (outer) case width	400 mm
Mean time between failures (MTBF)	360000 h	Master (outer) case length	490 mm
Cutter	✓	Master (outer) case height	255 mm
Half-cutter	✓	Master (outer) case gross weight	0 g
Autocutter durability	3 million cuts	Products per pallet	128 pc(s)
		Pallet gross weight	0 g

Features		Logistics data	
Print head life	200 km	Products per pallet (UK)	192 pc(s)
Country of origin	China	<b>Technical details</b>	
Mounting position	Horizontal	Changeable interface	✓
Wall mountable	✓	Lifetime	20000000 lines
Built-in sensors details	Paper Near End Sensor, Cover Open Sensor, Papier-Sensor	Master (outer) case GTIN (EAN/UPC)	8715946696409
Safety	UL, CSA	<b>Other features</b>	
Certification	CE, EN55024	Buffer size	4 KB
<b>Design</b>		Electromagnetic compatibility	CE marking, EN55024
Product colour *	Black	Mean cycles between failures (MCBF)	70000000
<b>Power</b>		Print head life	200.000.000 Impulse
AC input voltage	24 V		
Power plug type	Type C		
<b>Operational conditions</b>			
Operating temperature (T-T)	5 - 45 °C		
Storage temperature (T-T)	-10 - 50 °C		



8715946640983

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-FEB-2025. Prints or copies of Information are only valid on the printed Publication date