



Veho Cave Pallomainen IP-turvakamera Sisätila 1280 x 720 pikseliä Vastaanotto

Tuotemerkki : Veho

Tuotekoodi: VHS-002-IPC

Tuotteen nimi : Cave

Veho Cave. Malli: IP-turvakamera, Tuettu sijoitus: Sisätila, Yhteysteknologia: Langaton. Kiinnitystyyppi: Vastaanotto, Tuotteen väri: musta, Harmaa, Kotelo: Pallomainen. Näkökentän kulma: 75°. Anturin tyyppi: CMOS, Optisen sensorin koko: 25,4 / 4 mm (1 / 4"). Kiinteä polttoväli: 2,8 mm



Performance		Network	
Type *	IP security camera	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Placement supported *	Indoor	Bluetooth *	✗
Connectivity technology *	Wireless	Streaming method	Multicast
Wide Dynamic Range (WDR)	✓	Storage	
Infrared (IR) cut-off filter	✓	Card reader integrated	✓
Remote viewing	✓	Compatible memory cards	MicroSD (TransFlash)
Design		Maximum memory card size	128 GB
Form factor *	Spherical	Security	
Mounting type *	Desk	Video motion detection	✓
Product colour *	Black, Grey	Power	
Country of origin	China	Power source type *	DC
Camera		Power consumption (typical)	4 W
Field of view (FOV) angle	75°	DC output voltage	5
Image sensor		DC output current	1 A
Number of sensors	1	Operational conditions	
Optical sensor size	25.4 / 4 mm (1 / 4")	Operating temperature (T-T)	10 - 55 °C
Progressive scan	✓	Weight & dimensions	
Sensor type *	CMOS	Width	65 mm
Lens system		Depth	65 mm
Number of lenses *	1	Height	105 mm
Fixed focus	✓	Weight	109 g
Maximum aperture number	2.4	Packaging data	
Fixed focal length	2.8 mm	Package width	145 mm
Night vision		Package depth	60 mm
Night vision *	✓	Package height	145 mm
Night vision distance	8 m	Package weight	230 g
LED type	IR	Package type	Box

Night vision		Packaging content	
Number of illumination LEDs	10	Number of cameras *	1
Video		Manual	✓
Maximum resolution *	1280 x 720 pixels	Packaging content	Cave IP Camera, Camera Fixings, Power Cable, Multi-Lingual User Manual
Video formats supported	H.264	Logistics data	
Supported video modes	720p		
Frame rate	25 fps	Harmonized System (HS) code	85258900
Video streaming	✓	Master (outer) case width	680 mm
Noise reduction	✓	Master (outer) case length	480 mm
Noise reduction technology	3D noise reduction	Master (outer) case height	350 mm
Network		Master (outer) case gross weight	13.1 kg
Ethernet LAN *	✗	Products per master (outer) case	50 pc(s)
Supported network protocols	HTTP, FTP, TCP/IP, UDP, SMTP, DHCP, NTP, UPNP, RTSP, Onvif, DDNS		
Wi-Fi *	✓		



5060594760099



0811805030136



811805030136

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-APR-2025. Prints or copies of Information are only valid on the printed Publication date