/isus

ASUS TUF GAMING B550M PLUS AMD B550 Socket AM4 micro ATX

Brand : ASUS

Product code: 90MB14A0-M0EAY0

Product name : TUF GAMING B550M PLUS

- AMD AM4 socket: Ready for 3rd Gen AMD Ryzen[™] Processors

- Enhanced power solution: 8+2 DrMOS power stages, ProCool connector, military-grade TUF components, and Digi+ VRM for maximum durability

- Comprehensive cooling: VRM heatsinks, PCH fanless heatsink, M.2 heatsink, hybrid fan headers and Fan Xpert 2+ utility

- Next-gen connectivity: PCIe 4.0 M.2, USB 3.2 Gen 2 Type-A and Type-C support

- Made for online gaming: 2.5 Gb Ethernet, TUF LANGuard and TurboLAN technology

- Realtek S1200A codec: Pristine audio quality with unprecedented 108 dB signal-to-noise ratio for stereo line out and 103 dB SNR for line in

- Al noise-canceling microphone: Provides crystal-clear in-game voice communication AMD B550 (Ryzen AM4) micro ATX gaming motherboard with PCIe 4.0, dual M.2, 10 DrMOS power stages, 2.5 Gb Ethernet, HDMI, DisplayPort, SATA 6 Gbps, USB 3.2 Gen 2 Type-A and Type-C, and Aura Sync RGB lighting support






Processor			Rear panel I/O ports	
Processor manufacturer *		AMD	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	2
Processor socket *		Socket AM4	ports quantity *	-
Compatible processor series *		AMD Ryzen 3000 Series	Ethernet LAN (RJ-45) ports *	1
Memory			PS/2 ports quantity	1
Supported memory types * Number of memory slots * Memory slots type	MHz		HDMI ports quantity *	1
		00,3200,3333,3466,3600,3733,3866,4000,4133,4266,4400,4600	DisplayPorts quantity	1
Supported memory clock speeds			Headphone outputs	5
Maximum internal memory * 128 GB			S/PDIF out port	1
Storage controllers			Network	
Supported storage drive interfaces * M.2, SATA				
Graphics			Ethernet LAN	
Parallel processing technology 2-Way CrossFireX support *		Wi-Fi *	×	
		2-Way CrossFireX	Features	
Internal I/O			Motherboard chipset *	AMD B550
USB 2.0 connectors *		2	Component for *	PC
USB 3.2 Gen 1 (3.1 Gen 1) connectors *			Motherboard form factor *	micro ATX
		1	Motherboard chipset family *	AMD
Number of SATA connectors		4	BIOS	
Rear panel I/O ports			BIOS type *	UEFI
USB 2.0 ports quant		2	Logistics data	
USB 3.2 Gen 1 (3.1) ports quantity *	Gen 1) Type-A	4	Harmonized System (HS) code	84733020
			Weight & dimensions	
			Width	244 mm
			Depth	244 mm
			Height	67 mm
			5	

Other features

Weight

845 g





4718017623544

0192876623541



192876623541

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.