

Lexmark MX331adn Laser A4 600 x 600 DPI 38 ppm

Tuotemerkki : Lexmark

Tuotekoodi: 29S0161

Tuotteen nimi : MX331adn

Lexmark MX331adn. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: 600 x 600 DPI. Kopiointi: Yksittäiskopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Yksittäisfaksin lähetyks. Suurin ISO A-luokan paperikoko: A4. Tuotteen väri: musta, Valkoinen



Printing		Network	
Duplex printing mode	Auto	Ethernet LAN data rates	10,100 Mbit/s
Print technology *	Laser	Security algorithms	LEAP, MD5, MSCHAPv2, PEAP, TLS, TTLS
Printing *	Mono printing	Supported network protocols (IPv4)	IPSEC, TCP/IP, ICMP, TCP, IGMP, UDP, 802.1x
Duplex printing *	✓	Supported network protocols (IPv6)	IPSEC, TCP/IP, ICMP, TCP, IGMP, UDP, 802.1x
Maximum resolution *	600 x 600 DPI	Management protocols	DHCP, BOOTP, RARP, mDNS, IGMP, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL/TLS), SMTP, Finger
Print speed (black, normal quality, A4/US Letter) *	38 ppm	Performance	
Time to first page (black, normal)	6.2 s	Maximum internal memory	512 MB
Copying		Card reader integrated	✗
Duplex copying *	✓	Internal memory *	512 MB
Duplex copying mode	Auto	Built-in processor	✓
Copying *	Mono copying	Processor frequency	1000 MHz
Copy speed (black, normal quality, A4)	38 cpm	Processor cores	2
Time to first copy (black, normal)	6.2 s	Sound pressure level (printing)	53 dB
Copier resize	25 - 400%	Sound pressure level (copying)	54 dB
Scanning		Sound pressure level (scanning)	55 dB
Duplex scanning *	✗	Design	
Scanning *	Colour scanning	Product colour *	Black, White
Optical scanning resolution *	600 x 600 DPI	Market positioning *	Business
Maximum scan area	215.9 x 355.6 mm	Built-in display *	✓
Scanner type *	Flatbed & ADF scanner	Display	LCD
Scan technology	CIS	Display diagonal	7.11 cm (2.8")
Scan to	E-mail, FTP, HTTP, LDSS, USB	Control type	Touch
Scan speed (colour)	22 ppm	Power	
Scan speed (black)	45 ppm	Power consumption (printing)	530 W
Image formats supported	JPEG, JPG, TIFF	Power consumption (standby)	0.1 W
Document formats supported	PDF, XPS	Power consumption (sleep)	0.8 W
Fax		Energy Star Typical Electricity Consumption (TEC)	0.44 kWh/week
Faxing *	Mono faxing	System requirements	
Fax transmission speed	3 sec/page	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Modem speed	33.6 Kbit/s	Linux operating systems supported	Fedora 27, Linpus Linux 9.6, Ubuntu 16.04, Ubuntu 18.04 LTS, openSUSE 42.3
Features			
Recommended duty cycle	500 - 5000 pages per month		
Maximum duty cycle *	50000 pages per month		
Number of print cartridges *	1		
Printing colours *	Black		
Page description languages	PCL 5c, PCL 5e, PCL 6, PDF 1.7, PPDS, PostScript 3		

Features		System requirements	
Country of origin	China	Server operating systems supported	SUSE Linux Enterprise Server, SUSE Linux Enterprise Server 12, Windows 2000 Server, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012
Input & output capacity		Other operating systems supported	Novell Open Enterprise Server 2
Total number of input trays *	2	Operational conditions	
Total input capacity *	350 sheets	Operating relative humidity (H-H)	8 - 80%
Total output capacity *	150 sheets	Operating temperature (T-T)	10 - 32 °C
Paper tray 1 input capacity	250 sheets	Operating altitude	0 - 2896 m
Multi-Purpose tray	✓	Certificates	
Multi-Purpose tray input capacity	100 sheets	Certification	ICES-003 B, BSMI B, US FDA, UL 60950-1, FCC B, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 B, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECF, CEL, C-tick DoC, UL-AR, KC, UL GS, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER, DE-UZ 205, CGP
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	50 sheets	Sustainability	
Maximum input capacity	900 sheets	Sustainability certificates	ENERGY STAR
Maximum output capacity	150 sheets	Weight & dimensions	
Paper handling		Width	411 mm
Maximum ISO A-series paper size *	A4	Depth	366 mm
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper	Height	339 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Weight	12.8 kg
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Statement	Packaging data	
Envelopes sizes	7 3/4, 9, 10, DL	Package width	420 mm
Paper tray media weight	60 - 120 g/m ²	Package depth	465 mm
Multi-Purpose Tray media weight	60 - 217 g/m ²	Package height	385 mm
Ports & interfaces		Package weight	14.7 kg
Direct printing *	✗	Packaging content	
USB port	✓	Cartridge(s) included	✓
USB connector	USB Type-B	Included cartridge capacity (black)	1500 pages
Network		Cables included	AC
Wi-Fi *	✗		
Ethernet LAN *	✓		
Cabling technology	10/100Base-T(X)		



0734646701433



734646701433

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.