Epson EcoTank ET-M3140

Brand: Epson Product family: EcoTank Product code: C11CG91402

Product name: EcoTank ET-

M3140

- Reduce your printing costs: Economical ink tank printer with lots of ink included
- Reliable and durable: One-year or 100,000-page warranty
- Reduce energy usage: Save up to 95% in power consumption⁴
- Time saving: Double-sided printing, 250-sheet tray, ADF, 6.1cm colour touch panel
- Fast, business-quality printing: $20ppm\ print\ speeds^2$, no warm up time, PrecisionCore printhead, fax EcoTank ET-M3140

Epson EcoTank ET-M3140. Print technology: Inkjet, Printing: Mono printing, Maximum resolution: 1200×2400 DPI. Copying: Mono copying. Scanning: Colour scanning, Optical scanning resolution: 1200×2400 DPI. Faxing: Colour faxing. Maximum ISO A-series paper size: A4. Product colour: Black, White





| B. A. A. A. | | | |
|--|----------------------------|-------------------------------------|--|
| Printing | | Network | |
| Duplex printing mode Print technology * | Auto Inkjet | Security algorithms | 64-bit WEP, 128-bit WEP, WEP, WPA-AES, WPA-TKIP |
| Printing * | Mono printing | Mobile printing technologies | Epson Connect, Google Cloud Print |
| Duplex printing * | ✓ | Performance | |
| Maximum resolution * | 1200 x 2400 DPI | Card reader integrated | × |
| Print speed (ISO/IEC 24734) black | 20 ppm | Sound pressure level (printing) | 56 dB |
| Duplex print speed (black, normal quality, A4/US Letter) | 9 ppm | Sound power level (printing) | 6.9 dB |
| Duplex print speed (ISO/IEC 24734, A4) black | 9 ppm | Design | |
| Time to first page (black, normal) | 6 s | Product colour * | Black, White |
| | 0.5 | Market positioning * | Home & office |
| Copying | | Built-in display * | ✓ |
| Copying * | Mono copying | Display | LCD |
| Maximum number of copies | 99 copies | Display diagonal | 6.1 cm (2.4") |
| Copier resize | 25 - 400% | Colour display | / |
| Scanning | | Power | |
| Scanning * | Colour scanning | Power consumption (printing) | 14 W |
| Optical scanning resolution * | 1200 x 2400 DPI | Power consumption (copying) | 12 W |
| Optical scanning resolution (ADF) | 1200 x 2400 DPI | Power consumption (ready) | 5.4 W |
| Scan technology | CIS | Power consumption (off) | 0.2 W |
| Scan speed (black) | 7 inch/min | Energy Star Typical Electricity | 0.2 kWh/week |
| Scan speed (colour) | 7 inch/min | Consumption (TEC) | • |
| Image formats supported | BMP, JPEG, PICT, TIFF, PNG | AC input voltage | 220 - 240 V |
| Document formats supported | PDF | System requirements | |
| Fax | | | Windows 10, Windows 7, Windows |
| Faxing * | Colour faxing | Windows operating systems supported | 8, Windows 8.1, Windows Vista, Windows XP, Windows XP |
| Fax transmission speed | 3 sec/page | supported | Professional x64 |
| Modem speed | 33.6 Kbit/s | Mac operating systems supported | Mac OS X 10.6 Snow Leopard |

| Fax | | System requirements | |
|---|---|---|--|
| Fax memory Auto-redialing Fax speed dialing (max numbers) | 180 pages ✓ 100 | Server operating systems supported | Windows Server 2003 x64, Windows Server 2008, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016 |
| Fax forwarding | ✓ | Weight & dimensions | |
| Fax forwarding to | PC | Width | 375 mm |
| Error Correction Mode (ECM) | ✓ | Depth | 347 mm |
| Features | | Height | 346 mm |
| Recommended duty cycle Maximum duty cycle * | 250 - 1500 pages per month 20000 pages per month | Weight | 7.3 kg |
| | | Packaging data | |
| Printing colours * Page description languages | Black GDI | Package width | 410 mm |
| Country of origin | Philippines | Package depth | 440 mm |
| Input & output capacity | | Package height Package weight | 420 mm 9.29 kg |
| Total number of input trays * | 1 | Quantity per pack | 1 pc(s) |
| Total input capacity * | 250 sheets | Packaging content | |
| Total output capacity * | 100 sheets | Included cartridge capacity (black) | 11000 pages |
| Paper input type | Paper tray | Cables included | AC |
| Auto document feeder (ADF) | ✓ | Warranty card | ✓ |
| Auto document feeder (ADF) input capacity | 35 sheets | Logistics data | |
| Maximum input capacity | 250 sheets | Harmonized System (HS) code | 84433100 |
| Paper handling | | Pallet gross weight | 0 g |
| Maximum ISO A-series paper size * | A4 | Products per pallet layer Products per pallet | 2 pc(s) 10 pc(s) |
| Paper tray media types * | Photo paper, Plain paper | Pallet weight (UK) | 0 g |
| ISO A-series sizes (A0A9) * | A4 | Products per pallet layer (UK) | 4 pc(s) |
| Non-ISO print media sizes Paper tray media weight | Legal 64 - 256 g/m² | Products per pallet (UK) | 20 pc(s) |
| Ports & interfaces | 04 - 230 g/m | Other features | |
| Standard interfaces | USB 2.0 | Printing method | Epson PrecisionCore |
| USB port | ✓ | Number of users | 3 user(s) |
| Network | | | Mac OS X 10.6.8 or later, Windows 10, Windows 7, Windows 8, |
| Wi-Fi * | × | | Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 |
| Ethernet LAN * | × | Compatible operating systems | (32/64 Bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP SP3, XP Professional x64 Edition SP2 |
| | | Ink drop | 2.8 |
| | | Fax polling | ✓ |
| | | Print head nozzles | 400 nozzles black |
| | | Noise level | 56 dB |



8715946655079

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.