Epson WorkForce WF-7830DTWF Inkjet A3 4800 x 2400 DPI Wi-Fi

Brand: Epson Product family: WorkForce Product code: C11CH68403

Product name: WF-7830DTWF

A3, Print, Scan, Copy, Fax, 4800 x 2400 DPI, USB, LAN, WLAN, Touchscreen, 18.2 kg
Epson WorkForce WF-7830DTWF. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 2400 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Maximum ISO A-series paper size: A3. Wi-Fi. Product colour: Black





Printing		Ports & interfaces	
Duplex printing mode	Auto Inkjet Colour printing	USB port	✓
Print technology *		Network	
Printing *		Wi-Fi *	√
Duplex printing * Maximum resolution *	✓ 4800 x 2400 DPI	Ethernet LAN *	√
Print speed (ISO/IEC 24734) black	25 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Print speed (ISO/IEC 24734) colour	12 ppm 16 ppm	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA-AES
Duplex print speed (black, normal quality, A4/US Letter)		Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping
Duplex print speed (colour, normal quality, A4/US Letter)	9 ppm		
Duplex print speed (ISO/IEC 24734, A4) black	16 ppm	Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint, Mopria Print Service
Duplex print speed (ISO/IEC 24734, A4) colour	9 ppm	Performance	
Borderless printing	✓	Card reader integrated	×
Scanning		Design	
Duplex scanning *	✓	Product colour *	Black
Scanning *	Colour scanning	Market positioning *	Home & office
Optical scanning resolution *	1200 x 2400 DPI	Built-in display *	✓
Scan technology	CIS	Display	LCD
Scan to	Cloud	Display diagonal	6.86 cm (2.7")
Image formats supported	BMP, JPEG, TIFF, PNG	Touchscreen	✓
Document formats supported	PDF	Colour display	✓
Fax		Power	
Faxing *	Colour faxing	Power consumption (copying)	20 W
Fax transmission speed	3 sec/page	Power consumption (ready)	8.8 W
Modem speed	33.6 Kbit/s	Power consumption (off)	0.2 W
Fax memory	180 pages	System requirements	
Auto-redialing		Windows operating systems	
Speed dialling	100	supported	✓
Fax speed dialing (max numbers)	100		

Fax		System requirements	
Fax forwarding	✓	Mac operating systems supported	✓
Fax forwarding to	PC	Weight & dimensions	
Error Correction Mode (ECM)	✓	Width	515 mm
Features		Depth	400 mm
Recommended duty cycle	200 - 2500 pages per month	Height	350 mm
Maximum duty cycle * Number of print cartridges * Printing colours * Page description languages	50000 pages per month 4 Black, Cyan, Magenta, Yellow ESC/P-R	Weight	18.2 kg
		Packaging data	
		Package width	475 mm
Country of origin	Indonesia	Package depth	590 mm
Input & output capacity	muonesia	Package height	465 mm
	2	Package weight Quantity per pack	21.6 kg 1 pc(s)
Total number of input trays * Total output capacity *	2 125 sheets		1 pc(3)
Multi-Purpose tray	125 3⊓CCt5	Packaging content	
Multi-Purpose tray input capacity	500 sheets	Cartridge(s) included	V
Auto document feeder (ADF)	✓	Cables included	AC
Auto document feeder (ADF) input		Drivers included	/
capacity	50 sheets	Warranty card	✓
Maximum input capacity	500 sheets	Logistics data	
Paper handling		Harmonized System (HS) code	84433100
, , ,	A3 Thick paper	Pallet gross weight	0 g
		Products per pallet layer Products per pallet	2 pc(s) 8 pc(s)
ISO A-series sizes (A0A9) *	A3, A4, A5, A6	Pallet weight (UK)	0 g
ISO B-series sizes (B0B9) Non-ISO print media sizes	B4, B5 Legal, Letter	Products per pallet layer (UK)	4 pc(s)
Envelopes sizes	C4, C6, DL 9x13,10x15,13x18	Products per pallet (UK)	16 pc(s)
Photo paper sizes		Other features	
Paper tray media weight	64 - 255 g/m²	Printing method	Epson PrecisionCore
		Number of users	5 user(s)
		Compatible operating systems	Mac OS 10.5.8 oder höher, Windows 10, Windows 7, Windows 8, Windows Server 2003 (32/64 Bit), Windows Server 2008 (32/64 Bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Vista, Windows XP, Windows Server 2003
			R2
		Ink drop	R2 3.8
		Ink drop Fax polling	
		'	3.8



8715946668420

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.