

Epson WorkForce Pro WF-4820DWF

Tuotemerkki : Epson

Tuoteperhe: WorkForce Pro

Tuotekoodi: C11CJ06403

Tuotteen nimi : WorkForce Pro
WF-4820DWF

- Laadukas A4-monitoimitulostin: Kaksipuolinen tulostus ja yksipuolinen skannaus, kopiointi ja faksaus A4-kokoon asti

- Laadukkaat tulosteet nopeasti: 25 mustavalkoista ja 12 värisivua minuutissa¹

- Kustannustehokkaat musteet: Erilliset musteet säästävät 50 % mustetta verrattuna kolmen värin yhdistelmävärikäsetteihin³

- Langattomat ratkaisut: Ethernet, Wi-Fi, Wi-Fi Direct ja Scan-to-Cloud²

- Epsonin maksuttomat mobiilitulostussovellukset: Tulosta ja skannaaj lähes mistä tahansa²
WorkForce Pro WF-4820DWF

Epson WorkForce Pro WF-4820DWF. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 4800 x 2400 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 12 ppm. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 1200 x 2400 DPI. Faksaus: Värifaksaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



Printing		Network	
Print technology *	Inkjet	Wi-Fi *	✓
Printing *	Colour printing	Ethernet LAN *	✗
Duplex printing *	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum resolution *	4800 x 2400 DPI	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, Sntp, SLP, WSD, LLTD, Ping
Print speed (colour, normal quality, A4/US Letter)	12 ppm	Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint, Mopria Print Service
Print speed (ISO/IEC 24734) black	25 ppm		
Print speed (ISO/IEC 24734) colour	12 ppm		
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm		
Duplex print speed (colour, normal quality, A4/US Letter)	9 ppm		
Duplex print speed (ISO/IEC 24734, A4) black	16 ppm		
Duplex print speed (ISO/IEC 24734, A4) colour	9 ppm		
Scanning		Performance	
Scanning *	Colour scanning	Card reader integrated	✗
Optical scanning resolution *	1200 x 2400 DPI	Design	
Optical scanning resolution (ADF)	1200 x 1200 DPI	Product colour *	Black
Scan technology	CIS	Market positioning *	Home & office
Scan to	Cloud	Built-in display *	✓
Image formats supported	BMP, JPEG, TIFF, PNG	Display	LCD
Document formats supported	PDF	Display diagonal	10.9 cm (4.3")
Fax		Touchscreen	✓
Faxing *	Colour faxing	Colour display	✓
Fax transmission speed	3 sec/page	Power	
Modem speed	33.6 Kbit/s	Power consumption (copying)	18 W
Fax memory	180 pages	Power consumption (ready)	7 W
Auto-redialing	✓	Power consumption (off)	0.2 W
Fax speed dialing (max numbers)	100	System requirements	
Fax forwarding	✓	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
		Mac operating systems supported	✓

Fax		Weight & dimensions	
Error Correction Mode (ECM)	✓	Width	425 mm
Features		Depth	389 mm
Recommended duty cycle	200 - 1500 pages per month	Height	265 mm
Maximum duty cycle *	33000 pages per month	Weight	10.2 kg
Number of print cartridges *	4	Packaging data	
Printing colours *	Black, Cyan, Magenta, Yellow	Package width	435 mm
Country of origin	Indonesia	Package depth	480 mm
Input & output capacity		Package height	350 mm
Total number of input trays *	1	Package weight	12.3 kg
Total output capacity *	80 sheets	Quantity per pack	1 pc(s)
Auto document feeder (ADF)	✓	Packaging content	
Auto document feeder (ADF) input capacity	35 sheets	Cartridge(s) included	✓
Maximum input capacity	250 sheets	Cables included	AC
Paper handling		Drivers included	✓
Maximum ISO A-series paper size *	A4	Warranty card	✓
Paper tray media types *	Plain paper	Logistics data	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Harmonized System (HS) code	84433100
Non-ISO print media sizes	Legal, Letter	Pallet gross weight	0 g
Envelopes sizes	10, C6, DL	Products per pallet layer	2 pc(s)
Photo paper sizes	10x15,13x18 cm	Products per pallet	12 pc(s)
Paper tray media weight	64 - 90 g/m ²	Pallet weight (UK)	0 g
Ports & interfaces		Products per pallet layer (UK)	4 pc(s)
USB port	✓	Products per pallet (UK)	24 pc(s)
		Other features	
		Printing method	Epson PrecisionCore
		Number of users	5 user(s)
		Compatible operating systems	Mac OS X 10.11.x, Mac OS X 10.11.x oder höher, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.13.x, Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8.1, Windows 8.1 (32/64 bit), Windows Server 2003 R2 x64, Windows Server 2003 x64, Windows Server 2008 (32/64 Bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 Bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit)
		Ink drop	3.8
		Print head nozzles	800 nozzles black, 256 nozzles per colour
		Supported network protocols	TCP/IPv4, TCP/IPv6



8715946679747

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date