

QNAP QSW-M1208-8C verkkokytkin Hallittu L2 musta

Tuotemerkki : QNAP

Tuotekoodi: QSW-M1208-8C

Tuotteen nimi : QSW-M1208-8C



QNAP QSW-M1208-8C. Kytkin tyyppi: Hallittu, Kytinkerros: L2. Console-portti: RS-232. Täysin kaksipuolinen. MAC-osoitetaulukko: 32000 entries, Kytöntäkapasiteetti: 240 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE....
Telineasennus

Management features		Design	
Switch type *	Managed	Rack mounting *	✓
Switch layer	L2	Product colour	Black
Quality of Service (QoS) support	✓	Reset button	✓
Web-based management	✓	LED indicators	Activity, Link, Power, Speed, Status
Ports & interfaces		Number of fans	4 fan(s)
Basic switching RJ-45 Ethernet ports type *	✗	Electromagnetic compatibility	CLASS A
Gigabit Ethernet (copper) ports quantity	1	Performance	
Combo SFP ports quantity	8	Firmware upgradeable	✓
SFP+ module slots quantity	4	Power	
Console port	RS-232	Power source *	AC
Network		Power supply included *	✓
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	AC input voltage	100 - 240 V
10G support *	✓	AC input frequency	50 - 60 Hz
Full duplex	✓	Power consumption (max)	70 W
Flow control support	✓	Power over Ethernet (PoE)	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✗
Auto-negotiation	✓	Operational conditions	
VLAN support	✓	Operating temperature (T-T)	0 - 40 °C
Virtual LAN features	Port-based VLAN	Operating relative humidity (H-H)	5 - 95%
Data transmission		Weight & dimensions	
Switching capacity *	240 Gbit/s	Width	285 mm
Throughput	120 Gbit/s	Depth	236.6 mm
MAC address table *	32000 entries	Height	46.6 mm
Jumbo frames support	✓	Weight	2.2 kg
Jumbo frames	9000	Packaging content	
Security		Cables included	AC
DHCP features	DHCP client	User guide	✓
Access Control List (ACL)	✓	Certificates	
		Certification	FCC, CE, VCCI, BSMI, RCM, WEEE
		Logistics data	
		Harmonized System (HS) code	85176990

Security

IGMP snooping





4713213517833

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date