

APC Smart-UPS On-Line, 1500VA/1500W, Tower, 230V, 6x C13 IEC outlets, SmartSlot, Extended runtime, W/O rail kit

Brand : APC Product code: SRT1500XLI

Product name : Smart-UPS On-Line, 1500VA/1500W, Tower, 230V, 6x C13 IEC outlets, SmartSlot, Extended runtime, W/O rail bit

Smart-UPS On-Line, 1500VA/1500W, Tower, 230V, 6x C13 IEC outlets, SmartSlot, Extended runtime, W/O rail kit

APC Smart-UPS On-Line, 1500VA/1500W, Tower, 230V, 6x C13 IEC outlets, SmartSlot, Extended runtime, W/O rail kit:

This APC Smart-UPS is designed for IT professionals or network administrators to maintain business uptime and continuity. This 1500VA on-line tower UPS provides pure sine wave power and extended runtime to support critical electronics during power disruptions. It comes with IEC 320 C14 input and 6x IEC 320 C13 outlets. It has a SmartSlot for optional Network Management Card that enables graceful shutdown of physical servers, virtual machines & HCI Clusters via PowerChute Network Shutdown. The UPS can connect to EcoStruxure IT or third-party centralized management platforms. The UPS has a 3-year warranty, and the built-in lead-acid battery has a 2-year warranty. The UPS is compatible with SRTRK4 (4-post) and SRTRK3 (2-post) rail kits sold separately.





Features		Design	
UPS topology * Output power capacity * Output power *	Double-conversion (Online) 1.5 kVA 1500 W	Display type LED indicators International Protection (IP) code	LCD ✓ IP20
Waveform * Input operation voltage (min) * Input operation voltage (max) * Input frequency * Output operation voltage (min) Output operation voltage (max) Output frequency Surge energy rating Crest factor Emergency Power Off (EPO)	Sine 100 V 275 V 40/70 Hz 220 V 240 V 50/60 Hz 432 J 3:1	Operational conditions Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Certificates Compliance certificates Certification Packaging content	0 - 40 °C -20 - 50 °C 0 - 95% 0 - 95% RoHS CE, EAC
Noise level Audible alarm(s)	50 dB ✓	Manual Sustainability	✓
Ports & interfaces USB port Serial interface Serial interface type SmartSlot	✓ ✓ RJ-45 ✓	Sustainability certificates Weight & dimensions Width Depth	85 mm 505 mm 432 mm
Battery Battery technology	Sealed Lead Acid (VRLA)	Height Weight	20.5 kg
Battery life (max) Battery recharge time Hot-swap battery	5 year(s) 3 h ✓	Package width Package depth Package height	594 mm 749 mm 246 mm
Design Form factor *	Rackmount/Tower	Package weight	29.6 kg

Design		Logistics data	
Cable length	1.83 m	Products per pallet	12 pc(s)
Product colour *	Black	Harmonized System (HS) code	85078000
		Total carbon footprint (kg of CO2e)	2573.19





731304340300

0731304340300

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.