



DELL UltraSharp UP3221Q LED display 80 cm (31.5") 3840 x 2160 pikseliä 4K Ultra HD LCD musta, Hopea

Tuotemerkki : DELL

Tuoteperhe: UltraSharp

Tuotekoodi: DELL-UP3221Q


Tuotteen nimi : UP3221Q

DELL UltraSharp UP3221Q. Näytön halkaisija: 80 cm (31.5"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvausuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäänrakennettu USB-keskus. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea



| Display | | Ports & interfaces | |
|--------------------------------|--|---|--------------|
| Display diagonal * | 80 cm (31.5") | Audio output | ✓ |
| Display resolution * | 3840 x 2160 pixels | Headphone out * | ✗ |
| HD type * | 4K Ultra HD | Network | |
| Native aspect ratio * | 16:9 | Wi-Fi | ✗ |
| Display technology * | LCD | Ergonomics | |
| Panel type * | IPS | VESA mounting * | ✓ |
| Backlight type | LED | Panel mounting interface | 100 x 100 mm |
| Touchscreen * | ✗ | Cable lock slot * | ✓ |
| Display brightness (typical) | 350 cd/m ² | Height adjustment * | ✓ |
| Response time * | 8 ms | Adjustable height (max) | 16 cm |
| Screen shape * | Flat | Pivot | ✓ |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080), 2048 x 1080, 2048 x 1280, 2560 x 1440, 3840 x 2160 | Pivot angle | -90 - 90° |
| | | Swivelling | ✓ |
| Supported video modes | 480p, 576p, 1080i, 1080p, 2160p | Swivel angle range | -30 - 30° |
| Contrast ratio (typical) * | 1300:1 | Tilt adjustment | ✓ |
| Maximum refresh rate * | 60 Hz | Tilt angle range | -5 - 21° |
| Viewing angle, horizontal | 178° | Power | |
| Viewing angle, vertical | 178° | Energy efficiency class (SDR) * | G |
| Display number of colours * | 1.073 billion colours | Energy efficiency class (HDR) * | G |
| Response time (fast) | 6 ms | Energy consumption (SDR) per 1000 hours * | 68 kWh |
| Pixel pitch | 0.1816 x 0.1816 mm | Energy consumption (HDR) per 1000 hours * | 82 kWh |
| Pixel density | 140 ppi | Power consumption (typical) * | 68.3 W |
| Horizontal scan range | 15 - 135 kHz | Power consumption (standby) * | 0.2 W |
| Vertical scan range | 23 - 86 kHz | Power consumption (max) | 380 W |
| Viewable size, horizontal | 69.7 cm | Power consumption (off) | 0.2 W |

| Display | | Power | |
|--------------------------------------|-----------------|---|-------------|
| Viewable size, vertical | 39.2 cm | Power consumption (PowerSave) | 39 W |
| Viewable size diagonal | 80 cm | AC input voltage | 100 - 240 V |
| High Dynamic Range (HDR) supported | ✓ | AC input frequency | 50 - 60 Hz |
| High Dynamic Range (HDR) technology | DisplayHDR 1000 | Input current | 4.5 A |
| Performance | | Power supply type | Internal |
| NVIDIA G-SYNC * | ✗ | Energy efficiency scale | A to G |
| AMD FreeSync * | ✗ | European Product Registry for Energy Labelling (EPREL) code | 344551 |
| Multimedia | | Weight & dimensions | |
| Built-in speaker(s) * | ✗ | Width (with stand) | 712.5 mm |
| Built-in camera * | ✗ | Depth (with stand) | 250 mm |
| Design | | Height (with stand) | 623.7 mm |
| Market positioning * | Graphics design | Weight (with stand) | 16.9 kg |
| Product colour * | Black, Silver | Width (without stand) | 712.5 mm |
| Ports & interfaces | | Depth (without stand) | 76.1 mm |
| Built-in USB hub * | ✓ | Height (without stand) | 435.9 mm |
| USB upstream port type | USB Type-C | Weight (without stand) | 11.3 kg |
| Number of upstream ports | 1 | Bezel width (side) | 7.6 mm |
| USB Type-A downstream ports quantity | 2 | Bezel width (top) | 7.6 mm |
| USB Type-C downstream ports quantity | 1 | Bezel width (bottom) | 3.58 cm |
| DVI port | ✗ | Packaging data | |
| HDMI * | ✓ | Package weight | 24.3 kg |
| HDMI ports quantity | 2 | Packaging content | |
| HDMI version | 2.0 | Stand included | ✓ |
| DisplayPorts quantity | 1 | Logistics data | |
| DisplayPort version | 1.2a | Harmonized System (HS) code | 85285210 |
| Thunderbolt 3 ports quantity | 2 | | |
| Audio input | ✗ | | |



5397184409312



0884116375494



884116375494



5704174822929

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.