## Philips B Line 275B1H/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels 2K Ultra HD LED Black

Brand : Philips

Product family: B Line

Product code: 275B1H/00

Product name : 275B1H/00

Monitor 275B1H LCD monitor with Windows Hello Webcam

## Philips B Line 275B1H/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels 2K Ultra HD LED Black:

This Philips monitor with a secure pop-up webcam with Windows Hello offers personalised and greater security. Loaded with features to improve productivity and sustainability. Eye comfort features with TUV certified to reduce eye fatigue.

Philips B Line 275B1H/00. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: 2K Ultra HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	1
Display resolution *	2560 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	2K Ultra HD	Cable lock slot *	1
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LED	Height adjustment *	<ul> <li>Image: A start of the start of</li></ul>
Panel type *	IPS	Adjustable height (max)	15 cm
Backlight type	W-LED	Pivot	<ul> <li>Image: A start of the start of</li></ul>
Touchscreen *	×	Pivot angle	-90 - 90°
Display brightness (typical)	350 cd/m <sup>2</sup>	Swivelling	-50 - 50
Response time *	4 ms	Swivel angle range	-180 - 180°
Anti-glare screen	✓	5 5	
Screen shape *	Flat	Tilt adjustment	✓
Aspect ratio	16:9	Tilt angle range	-5 - 30°
Contrast ratio (typical) *	1000:1	On Screen Display (OSD)	1
Contrast ratio (dynamic)	5000000:1		Simplified Chinese, Traditional Chinese, Czech, German, Dutch,
Dynamic contrast ratio marketing name	SmartContrast	On Screen Display (OSD) languages	English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese,
Maximum refresh rate *	75 Hz		Korean, Polish, Portuguese, Russian,
Viewing angle, horizontal	178°		Swedish, Turkish, Ukrainian
Viewing angle, vertical	178°	Number of OSD languages	21
Display number of colours *	16.7 million colours	Plug and Play	1
Pixel pitch	0.2331 x 0.2331 mm	LED indicators	Operation, Stand-by
Pixel density	109 ppi	Power	
Horizontal scan range	30 - 114 kHz	Energy efficiency class (SDR) *	F
Vertical scan range	48 - 75 Hz	Energy consumption (SDR) per 1000	
Viewable size, horizontal	59.7 cm	hours *	26 kWh
Viewable size, vertical	33.6 cm	Power consumption (typical) *	18 W
Digital horizontal frequency	30 - 114 kHz	Power consumption (standby) *	0.4 W
Digital vertical frequency	48 - 75 Hz	Power consumption (PowerSave)	17.5 W

Display		Power	
Sync-on-green (SOG)	1	AC input voltage	100 - 240 V
Display diagonal (metric)	68.6 cm	AC input frequency	50 - 60 Hz
DDC/CI	I	Power supply type	Internal
Haze rate	25%	Energy efficiency scale	A to G
Surface hardness	3H	European Product Registry for	413349
Colour gamut standard	sRGB	Energy Labelling (EPREL) code	
Colour gamut	110%	Operational conditions	
sRGB coverage (typical)	107%	Operating temperature (T-T)	0 - 40 °C
NTSC coverage (typical)	104%	Storage temperature (T-T)	-20 - 60 °C
Display sRGB	<ul> <li>Image: A set of the set of the</li></ul>	Operating relative humidity (H-H)	20 - 80%
Performance		Storage relative humidity (H-H)	20 - 80%
		Operating altitude	0 - 3658 m
NVIDIA G-SYNC *	×	Non-operating altitude	0 - 12192 m
AMD FreeSync *	×	Weight & dimensions	
VESA Adaptive Sync support	J	Width (with stand)	613 mm
Component video sync	Separate sync	Depth (with stand)	205 mm
Flicker-free technology	1	Height (with stand)	537 mm
Low Blue Light technology	✓	Weight (with stand)	6.42 kg
Multimedia		Width (without stand)	613 mm
Number of speakers	2	Depth (without stand)	51 mm
RMS rated power	2 4 W	Height (without stand)	366 mm
Built-in speaker(s) *	4 W	Weight (without stand)	4.77 kg
Megapixel (approx.)	2 MP	Packaging data	
Built-in microphone		Package width	700 mm
·		Package depth	215 mm
Built-in camera *	1	Package height	456 mm
Design		Package weight	9.7 kg
Market positioning *	Business	Packaging content	
Product colour *	Black		
Front bezel colour	Black	Stand included	
Detachable stand	<ul> <li>Image: A set of the set of the</li></ul>	Cables included	HDMI, DisplayPort, USB Type-A to USB Type-B, AC
Feet colour	Black	Manual	<ul> <li>Image: A set of the set of the</li></ul>
Ports & interfaces		Bundled software	SmartControl
Built-in USB hub *	1	Sustainability	
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Sustainability certificates	ENERGY STAR, TCO
USB upstream port type	USB Type-B	Doesn't contain	Mercury, PVC/BFR
Number of upstream ports	1		Mercury, PVC/BIR
USB Type-A downstream ports	3	Other features	
quantity		Exterior finish type	Textured
VGA (D-Sub) ports quantity	1	Picture enhancement	SmartImage
DVI port		Recyclable packaging material	
DVI-D ports quantity	1		EPA; CB; TUV/GS; TUV Ergo; CU- EAC; CE Mark; FCC Class B;
HDMI *		Regulatory Approvals	ICES-003; UKRAINIAN; TUV Eye
HDMI ports quantity	1		Comfort certified
HDMI version	1.4	Heavy metals free	Hg (mercury), Pb (lead)
DisplayPorts quantity	1	Light sensor	1
DisplayPort version	1.2	EasyRead mode	1
Audio input	×	LowBlue mode	1
Audio output	٠	Compliance certificates	RoHS
Headphone out *	J.	Mean time between failures (MTBF)	70000 h
Headphone outputs	1		EPA, CB, TUV/GS, TUV Ergo, SEMKO,
Headphone connectivity	3.5 mm	Certification	CU-EAC, CE Mark, FCC Class B, ICES-003, UKRAINIAN, TUV Eye
PC Audio in	1		Comfort certified
HDCP	1	Recycling data	
HDCP version	1.4	Post-consumer recycled plastic	85%
AC (power) in	1		
		Logistics data	
		Harmonized System (HS) code	85285210



8712581768270

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.