

Philips E Line 275E2FAE/00 tietokoneen litteä näyttö 68,6 cm (27") 2560 x 1440 pikseliä Quad HD LED musta

Tuotemerkki : Philips

Tuoteperhe: E Line

Tuotekoodi: 275E2FAE/00

Tuotteen nimi : 275E2FAE/00

275E2FAE QHD LCD -näyttö

Philips E Line 275E2FAE/00 tietokoneen litteä näyttö 68,6 cm (27") 2560 x 1440 pikseliä Quad HD LED musta:


Philipsin uuden E-line-näytön ohuet reunukset ja kaapelienhallintaratkaisu tekevät työtilasta tyylikkään. Kristallinkirkas Quad HD -kuva, 1 ms:n vasteaika ja AMD FreeSync™ -tekniikka luovat sujuvan pelikokemuksen.

Philips E Line 275E2FAE/00. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HD-tyyppi: Quad HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 4 ms, Vakiokuvausuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot *	✓
Display resolution *	2560 x 1440 pixels	Cable lock slot type	Kensington
HD type *	Quad HD	Height adjustment *	✓
Native aspect ratio *	16:9	Adjustable height (max)	10 cm
Display technology *	LED	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 20°
Backlight type	W-LED	On Screen Display (OSD)	✓
Touchscreen *	✗	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display brightness (typical)	350 cd/m ²	Number of OSD languages	21
Response time *	4 ms	Plug and Play	✓
Display surface	Matt	LED indicators	Operation, Stand-by
Anti-glare screen	✓	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	F
Supported graphics resolutions	1920 x 1080 (HD 1080), 2560 x 1440	Energy consumption (SDR) per 1000 hours *	26 kWh
Supported video modes	1080p, 1440p	Power consumption (typical) *	18.55 W
Aspect ratio	16:9	Power consumption (standby) *	0.5 W
Contrast ratio (typical) *	1000:1	Power consumption (off)	0.3 W
Maximum refresh rate *	75 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Power supply type	External
Display number of colours *	16.7 million colours	Energy efficiency scale	A to G
Response time (fast)	1 ms	European Product Registry for Energy Labelling (EPREL) code	386842
Pixel pitch	0.2331 x 0.2331 mm	Operational conditions	
Pixel density	109 ppi	Operating temperature (T-T)	0 - 40 °C
Horizontal scan range	30 - 144 kHz		
Vertical scan range	48 - 75 Hz		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Digital horizontal frequency	30 - 144 kHz		
Digital vertical frequency	48 - 75 Hz		

Display		Operational conditions	
Display diagonal (metric)	68.6 cm	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	✓	Operating relative humidity (H-H)	20 - 80%
Haze rate	25%	Operating altitude	0 - 3658 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
Colour gamut standard	sRGB	Weight & dimensions	
Colour gamut	101.6%	Width (with stand)	614 mm
sRGB coverage (typical)	115.6%	Depth (with stand)	234 mm
NTSC coverage (typical)	101.6%	Height (with stand)	475 mm
Display sRGB	✓	Weight (with stand)	5.23 kg
Performance		Width (without stand)	614 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	38 mm
AMD FreeSync *	✓	Height (without stand)	354 mm
AMD FreeSync type	FreeSync	Weight (without stand)	3.43 kg
Component video sync	Separate sync	Packaging data	
Flicker-free technology	✓	Package width	678 mm
Low Blue Light technology	✓	Package depth	153 mm
Multimedia		Package height	504 mm
Number of speakers	2	Package weight	7.59 kg
RMS rated power	3 W	Packaging content	
Built-in speaker(s) *	✓	Stand included	✓
Built-in camera *	✗	Cables included	HDMI, AC
Design		Manual	✓
Market positioning *	Home	Other features	
Product colour *	Black	Exterior finish type	Textured
Ports & interfaces		Picture enhancement	SmartImage game
DVI port	✗	Recyclable packaging material	100%
HDMI *	✓	Regulatory Approvals	EPA; CB; TUV/ISO9241-307; TUV-BAUART; CU-EAC; EAEU RoHS; CE Mark; FCC Class B; ICES-003
HDMI ports quantity	2	Heavy metals free	Hg (mercury)
DisplayPorts quantity	1	EasyRead mode	✓
Audio input	✗	LowBlue mode	✓
Audio output	✓	Mean time between failures (MTBF)	50000 h
Headphone out *	✗	Certification	EPA, CB, TUV/ISO9241-307, TUV-BAUART, CU-EAC, EAEU RoHS, CE Mark, FCC Class B, ICES-003
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	100 x 100 mm		



8712581767648

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date