

## Epson EB-FH06 data projector Standard throw projector 3500 ANSI lumens 3LCD 1080p (1920x1080) White



**Brand :** Epson

**Product code:** V11H974040

**Product name :** EB-FH06

LCD: 3 x 0.61" P-Si TFT, 1080p (1920x1080), 3500 ANSI, 16000:1, 2 W, 2.7 kg.

Epson EB-FH06. Projector brightness: 3500 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 12000 h. Focus: Manual, Focal length range: 16.9 - 20.28 mm, Aperture range (F-F): 1.49 - 1.72. Analog signal format system: NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM, Video processing: 10 bit, Video colour modes: Blackboard, Cinema, Dynamic, Presentation, sRGB. Noise level: 37 dB, Noise level (economic mode): 28 dB, Country of origin: Philippines

Projector		Features	
Projection distance	1.62 - 1.95 m	Country of origin	Philippines
Projector brightness *	3500 ANSI lumens	Password protection	✓
Projection technology *	3LCD	<b>Multimedia</b>	
Projector native resolution *	1080p (1920x1080)	Built-in speaker(s) *	✓
Contrast ratio (typical) *	16000:1	RMS rated power	2 W
Native aspect ratio *	16:9	Number of built-in speakers	1
Number of colours	1.07 billion colours	<b>Design</b>	
Projector brightness (economic mode)	2300 ANSI lumens	Market positioning *	Home cinema
Vertical scan range	192 - 240 Hz	Product type *	Standard throw projector
Keystone correction, horizontal	-30 - 30°	Product colour *	White
Keystone correction, vertical	-30 - 30°	Placement	Ceiling, Desktop
Matrix size	1.55 cm (0.61")	Cable lock slot	✓
Matrix type	3-panel (p-Si TFT active)	Cable lock slot type	Kensington
<b>Light source</b>		<b>Power</b>	
Light source type *	Lamp	Power source *	AC
Service life of light source *	6000 h	Power consumption (typical) *	327 W
Service life of light source (economic mode)	12000 h	Power consumption (standby) *	0.3 W
Lamp type	UHE	Power consumption (economy mode)	225 W
Lamp power	210 W	AC input voltage	100-240 V
<b>Lens system</b>		AC input frequency	50 - 60 Hz
Focus *	Manual	<b>Operational conditions</b>	
Focal length range	16.9 - 20.28 mm	Operating temperature (T-T)	5 - 35 °C
Aperture range (F-F)	1.49 - 1.72	Operating relative humidity (H-H)	20 - 80%
Zoom capability	✓	Storage relative humidity (H-H)	10 - 90%
Zoom type	Manual	<b>Weight &amp; dimensions</b>	
Zoom ratio	1.2:1	Width	302 mm
Throw ratio	1.22 - 1.47:1	Depth	252 mm
<b>Video</b>		Height	92 mm
Analog signal format system *	NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM	Weight *	2.7 kg
Full HD *	✓	Package width	355 mm
3D *	✗	Package depth	380 mm
Video processing	10 bit	Package height	160 mm
Video colour modes	Blackboard, Cinema, Dynamic, Presentation, sRGB	Package weight	4.13 kg

Ports & interfaces		Packaging content	
USB 2.0 ports quantity	1	Remote control included *	✓
USB 2.0 Type-B ports quantity	1	Cables included	AC, VGA
Audio (L/R) in *	1	Quick start guide	✓
VGA (D-Sub) ports quantity *	1	Manual	✓
HDMI ports quantity *	2	WLAN adapter included	✓
DVI port *	✗		
Network		Bundled software	Inhalt DIY-App, EasyMP Multi PC Projection, Epson Projektor Management, Epson Projektor Professional Tool
Smart TV *	✗		
Ethernet LAN *	✗		
Wi-Fi *	✗		
Storage		Technical details	
Card reader integrated *	✗	USB display function	2 in 1: Image / Mouse
Features		Logistics data	
Noise level (economic mode)	28 dB	Quantity per pack	1 pc(s)
Noise level *	37 dB	Products per pallet	78 pc(s)
		Pallet gross weight	0 g
		Products per pallet (UK)	117 pc(s)
		Pallet weight (UK)	0 g
		Harmonized System (HS) code	85286200



8715946680576

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date