

## be quiet! System Power B9 virtalähdeyksikkö 450 W 20+4 pin ATX ATX Harmaa

**Tuotemerkki** : be quiet!

**Tuotekoodi**: BN208

**Tuotteen nimi** : System Power B9


be quiet! System Power B9. Kokonaisteho: 450 W, AC-syöttöjännite: 200 - 240 V, AC-syöttötaajuus: 50 Hz. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 55 cm, SATA-virtakaapelin pituus: 500 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Bronze. Tuotteen väri: Harmaa, Tuulettimen halkaisija: 12 cm, Tuulettimien määrä: 1 tuuletin(ta). Sisältää johdot: AC



Power		Ports & interfaces	
Total power *	450 W	CPU power connector (4+4 pin)	✓
AC input voltage *	200 - 240 V	CPU power cable length	60 cm
AC input frequency	50 Hz	Cabling type	Non-Modular
Input current	4 A	Performance	
Power factor	0.95	80 PLUS certification *	80 PLUS Bronze
Power Factor Correction (PFC) type	Active	Purpose *	PC
Combined power (+3.3V)	110 W	Power supply unit (PSU) form factor *	ATX
Combined power (+12V)	420 W	ATX version	2.4
Combined power (+5V)	110 W	Silent mode	✓
Combined power (-12V)	3.6 W	Certification	CE, CB, TÜV, RCM, CU
Combined power (+5Vsb)	15 W	Design	
Max output current (+3.3V)	24 A	Product colour	Grey
Max output current (+12V1)	23 A	Fan diameter	12 cm
Max output current (+12V2)	19 A	Number of fans	1 fan(s)
Max output current (+5V)	15 A	Illumination	✗
Max output current (-12V)	0.3 A	On/off switch	✓
Max output current (+5Vsb)	3 A	Packaging content	
Hold time	17 ms	Cables included	AC
Efficiency	89%	Weight & dimensions	
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Width	150 mm
Ports & interfaces		Depth	140 mm
Motherboard power connector *	20+4 pin ATX	Height	86 mm
Motherboard power cable length	55 cm	Weight	1.86 kg
Number of SATA power connectors	6	Technical details	
Number of PATA power connectors	2	Sustainability certificates	ENERGY STAR
SATA power cable length	500 mm	Compliance certificates	RoHS
PCI Express power connectors (6+2 pin)	2	Logistics data	
PCI Express power cable length	50 cm	Harmonized System (HS) code	84733020

#### Other features

Noise level (silent mode, <30%)	8.9 dB
Noise level (quiet mode, 50%)	11 dB
Noise level (full-load mode, 100%)	24 dB



4260052186008

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-DEC-2024. Prints or copies of Information are only valid on the printed Publication date