

be quiet! SFX L Power virtalähdeyksikkö 500 W 20+4 pin ATX musta

Tuotemerkki : be quiet!

Tuotekoodi: BN238

Tuotteen nimi : SFX L Power

be quiet! SFX L Power. Kokonaisteho: 500 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 550 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 30 cm, PCI Express -virtakaapelin pituus: 40 cm. Tarkoitus: PC, Virransyöttöyksikön mitat: SFX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Tuulettimen halkaisija: 12 cm, Tuulettimien määrä: 1 tuuletin(ta). Tuotteen leveys: 125 mm, Tuotteen syvyys: 130 mm, Tuotteen korkeus: 64 mm



Power		Performance	
Total power *	500 W	Power supply unit (PSU) form factor	SFX
Peak power	550 W	ATX version	2.4
AC input voltage *	100 - 240 V	Silent mode	✓
AC input frequency	50 - 60 Hz	Bearing technology	Sleeve
Input current	10 A	Certification	CE, CB, TÜV, FCC, cTUVus, RCM
Power factor	0.99	Design	
Power Factor Correction (PFC) type	Active	Product colour	Black
Combined power (+3.3V)	105 W	Fan diameter	12 cm
Combined power (+12V)	500 W	Number of fans	1 fan(s)
Combined power (+5V)	105 W	On/off switch	✓
Combined power (-12V)	3.6 W	Weight & dimensions	
Combined power (+5Vsb)	15 W	Width	125 mm
Max output current (+3.3V)	20 A	Depth	130 mm
Max output current (+12V)	41.7 A	Height	64 mm
Max output current (+5V)	20 A	Weight	1.14 kg
Max output current (-12V)	0.3 A	Packaging data	
Max output current (+5Vsb)	3 A	Manual	✓
Hold time	16.7 ms	Package width	205 mm
Efficiency	92%	Package depth	220 mm
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Package height	80 mm
		Package weight	2.02 kg
		Package type	Box
Ports & interfaces		Technical details	
Motherboard power connector *	20+4 pin ATX	Sustainability certificates	ENERGY STAR
Motherboard power cable length	30 cm	Compliance certificates	RoHS
Number of SATA power connectors	6	Logistics data	
Number of PATA power connectors	3	Master (outer) case width	430 mm
PCI Express power connectors (6+2 pin)	4	Master (outer) case length	430 mm
PCI Express power cable length	40 cm	Master (outer) case height	240 mm
CPU power connector (4+4 pin)	✓	Master (outer) case gross weight	21.4 kg
CPU power cable length	40 cm	Harmonized System (HS) code	84733020
Cabling type	Fully-Modular	Products per master (outer) case	10 pc(s)
Performance			
80 PLUS certification *	80 PLUS Gold		

Performance

Supported motherboard form factors	Mini-ITX
Purpose *	PC

Other features

Screws included	✓
Cable ties included	✓
Noise level (silent mode, <30%)	9.9 dB
Noise level (quiet mode, 50%)	14 dB
Noise level (full-load mode, 100%)	28.5 dB



4260052187128

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-DEC-2024. Prints or copies of Information are only valid on the printed Publication date