## Canon PIXMA G2560 MegaTank Inkjet A4 10.8 ppm

Brand : Canon

Product family: PIXMA

Product code: 4466C006

Product name : G2560 MegaTank

10.6 - 6.0 ipm, 2-line LCD, 100 sheets

Canon PIXMA G2560 MegaTank. Print technology: Inkjet, Printing: Colour printing, Print speed (colour, normal quality, A4/US Letter): 6 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 600 x 1200 DPI. Maximum ISO A-series paper size: A4. Product colour: Black





Printing		Paper handling	
Duplex printing mode Print resolution colour Print technology *	Manual 4800 x 1200 DPI Inkjet	Photo paper sizes Borderless printing media sizes Paper tray media weight	10x15 cm 10x15, 13x18, 17.5x25, 20x25, A4 65 - 105 g/m²
Printing * Duplex printing *	Colour printing	Ports & interfaces	
Print speed (black, normal quality, A4/US Letter) *	10.8 ppm	USB port USB connector	✔ USB Type-B
Print speed (colour, normal quality, A4/US Letter)	6 ppm	<b>Performance</b> Sound power level (printing)	51 dB
Copying		Design	
Copying * Copy speed (black, normal quality, A4) Maximum number of copies Copier resize	Colour copying 23 cpm 99 copies 25 - 4000%	Product colour * Market positioning * Built-in display * Display	Black Home & office ✓ LCD
N-in-1 copy function	1	Power	
N-in-1 copy function N-in-1 copy function (N=) ID-card copy function	✓ 2, 4 ✓	Power consumption (average operating)	15 W
N-in-1 copy function (N=)	2, 4	Power consumption (average operating) Power consumption (standby)	0.6 W
N-in-1 copy function (N=) ID-card copy function	2, 4	Power consumption (average operating)	
N-in-1 copy function (N=) ID-card copy function Scanning Scanning * Optical scanning resolution * Scanner type *	2, 4 Colour scanning 600 x 1200 DPI Flatbed scanner	Power consumption (average operating) Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC) AC input voltage	0.6 W 0.2 W 0.1 kWh/week 100 - 240 V
N-in-1 copy function (N=) ID-card copy function Scanning Scanning * Optical scanning resolution * Scanner type * Scan technology	2, 4 2 Colour scanning 600 x 1200 DPI Flatbed scanner CIS	Power consumption (average operating) Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC)	0.6 W 0.2 W 0.1 kWh/week
N-in-1 copy function (N=) ID-card copy function Scanning Scanning * Optical scanning resolution * Scanner type * Scan technology Input colour depth	2, 4 ✓ Colour scanning 600 x 1200 DPI Flatbed scanner CIS 16 bit	Power consumption (average operating) Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC) AC input voltage	0.6 W 0.2 W 0.1 kWh/week 100 - 240 V
N-in-1 copy function (N=) ID-card copy function Scanning Scanning * Optical scanning resolution * Scanner type * Scan technology	2, 4 2 Colour scanning 600 x 1200 DPI Flatbed scanner CIS	Power consumption (average operating) Power consumption (standby) Power consumption (off) Energy Star Typical Electricity Consumption (TEC) AC input voltage AC input frequency	0.6 W 0.2 W 0.1 kWh/week 100 - 240 V

Fax		System requirements	
Faxing * Features	×	Server operating systems supported	Windows Server 2008, Windows Server 2012, Windows Server 2016, Windows Server 2019
Ink tank system	1	Other operating systems supported	ChromeOS
Number of print cartridges *	4	Operational conditions	
Printing colours * Replacement cartridges	Black, Green, Magenta, Yellow GI-51 GI-51 GI-51 GI-51	Operating relative humidity (H-H) Storage temperature (T-T)	10 - 90% 5 - 35 °C
Input & output capacity		Weight & dimensions	
Total number of input trays * Total input capacity *	1 100 sheets	Width Depth	445 mm 330 mm
Paper handling		Height	167 mm
Maximum ISO A-series paper size *	A4	Weight	6.4 kg
Paper tray media types *	Card stock, Envelopes, Glossy paper, Heavy paper, High resolution paper, Iron-On Transfers, Matte paper, Photo paper, Plain paper, Semi-glossy paper	Packaging content	
		Cartridge(s) included	<ul> <li>Image: A second s</li></ul>
		Logistics data	
ISO A-series sizes (A0A9) *	A4, A5, A6	Harmonized System (HS) code	84433100
ISO B-series sizes (B0B9)	B5		
Non-ISO print media sizes	Executive, Legal		
Envelopes sizes	C5		



4549292167931

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.