

ZYXEL

Zyxel NWD6602 WLAN 1167 Mbit/s

Tuotemerkki : Zyxel

Tuotekoodi: NWD6602-EU0101F

Tuotteen nimi : NWD6602

Zyxel NWD6602. Yhteysteknologia: Langaton, Isäntäkoneen käyttöliittymä: USB A-tyyppi, Käyttöliittymä: WLAN. Tiedonsiirron enimmäisnopeus: 1167 Mbit/s, Wi-Fi-standardi: Wi-Fi 5 (802.11ac), Wi-Fi-taajuus: Kaksitaajuus (2,4 GHz/5 GHz). Tuotteen väri: musta



Ports & interfaces		System requirements	
Connectivity technology *	Wireless	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Host interface *	USB Type-A		Mac OS 8.0, Mac OS 8.1, Mac OS 8.5, Mac OS 8.6, Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Interface *	WLAN		
USB version	2.0		
Network			
Maximum data transfer rate *	1167 Mbit/s		
Networking standards *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Mac operating systems supported	
Wi-Fi	✓		
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)		
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)		
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)		
WLAN data transfer rates supported	300,867 Mbit/s	Linux operating systems supported	✓
Security algorithms	WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, WPA3, WPS	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Component for *	PC/Laptop	Storage temperature (T-T)	-20 - 60 °C
Product colour	Black	Operating relative humidity (H-H)	10 - 90%
Internal *	✗	Storage relative humidity (H-H)	10 - 95%
Antenna	✓	Weight & dimensions	
Antenna design	Internal	Width	14.9 mm
LED indicators	Activity, Link, WPS	Depth	20 mm
Certification	CE-LVD, CE, EAC	Height	7.1 mm
		Weight	5 g
Power		Packaging data	
Output voltage	5 V	Package width	137 mm
Power consumption (typical)	12 W	Package depth	181 mm

Packaging data

Package height	28 mm
Package weight	823 g

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------



4718937616435

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-DEC-2024. Prints or copies of Information are only valid on the printed Publication date