


D-Link DBA-2520P WLAN-tukiasema 1900 Mbit/s Valkoinen Power over Ethernet -tuki

Tuotemerkki : D-Link

Tuotekoodi: DBA-2520P

Tuotteen nimi : DBA-2520P

D-Link DBA-2520P. 2,4 GHz, 5 GHz, Tiedonsiirron enimmäisnopeus: 1900 Mbit/s. Tietoturva-algoritmit: SSID, WPA, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3, WPA3-PSK. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Power over Ethernet -tuki. Tuotteen väri: Valkoinen. Tehonkulutus (maks.): 19,68 W



Features		Design	
2.4 GHz *	✓	Placement *	Ceiling, Table, Wall
5 GHz *	✓	Product colour *	White
Maximum data transfer rate *	1900 Mbit/s	Cable lock slot	✓
Maximum data transfer rate (2.4 GHz)	600 Mbit/s	Cable lock slot type	Kensington
Maximum data transfer rate (5 GHz)	1299 Mbit/s	Antenna	
Ethernet LAN data rates	10,100,1000 Mbit/s	Antenna type *	Internal
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ac, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Antenna direction type	Omni-directional
		Antennas quantity	2
		Antenna gain level (max)	4 dBi
		Certificates	
MIMO	✓	Certification	CE B, FCC B, UL, IC B
MIMO type	Multi User MIMO	Weight & dimensions	
Flow control support	✓	Width	224.5 mm
Transmitting power	25 dBmW	Depth	223.8 mm
Security		Height	50 mm
Security algorithms *	SSID, WPA, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3, WPA3-PSK	Weight	811 g
MAC address filtering	✓	Packaging content	
Number of SSID supported	16	Quantity per pack	1 pc(s)
Protocols		Operational conditions	
DHCP server	✓	Operating relative humidity (H-H)	10 - 90%
Ports & interfaces		Operating temperature (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) ports *	2	Storage temperature (T-T)	-20 - 65 °C
Power		Storage relative humidity (H-H)	5 - 95%
Power over Ethernet (PoE) *	✓	Logistics data	
Output voltage	12 V	Harmonized System (HS) code	85176990
Output current	2.5 A		
Power consumption (typical)	16.92 W		

Power

Power consumption (max) 19.68 W



0790069448195



790069448195

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.