

## be quiet! SFX POWER 3 300W virtalähdeyksikkö 20+4 pin ATX musta

**Tuotemerkki** : be quiet!

**Tuotekoodi**: BN320

**Tuotteen nimi** : SFX POWER 3 300W

be quiet! SFX POWER 3 300W. Kokonaisteho: 300 W, AC-syöttöjännite: 100 - 240 V, Huipputeho: 350 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 35 cm, SATA-virtakaapelin pituus: 300,450,600 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: SFX, 80 PLUS certification: 80 PLUS Bronze. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 8 cm. Tuotteen leveys: 125 mm, Tuotteen syvyys: 100 mm, Tuotteen korkeus: 64 mm



Power		Ports & interfaces	
Total power *	300 W	Cabling type	Non-Modular
Peak power	350 W	<b>Performance</b>	
AC input voltage *	100 - 240 V	80 PLUS certification *	80 PLUS Bronze
AC input frequency	50 - 60 Hz	Purpose *	PC
Input current	5/2 A	Power supply unit (PSU) form factor *	SFX
Maximum input current (@110V)	5 A	ATX version	3.42
Maximum input current (@220V)	2 A	EPS version	2.92
Power factor	0.98	Noise level	29.4 dB
Power Factor Correction (PFC) type	Active	Bearing technology	Rifle
Combined power (+3.3V)	85 W	Mean time between failures (MTBF)	100000 h
Combined power (+12V)	300 W	Safety	CE, CB, TÜV, CU
Combined power (+5V)	85 W	<b>Design</b>	
Max output current (+3.3V)	16 A	Product colour	Black
Max output current (+12V1)	25 A	Cooling type	Active
Max output current (+5V)	16 A	Fan diameter	8 cm
Max output current (-12V)	0.3 A	Number of fans	1 fan(s)
Max output current (+5Vsb)	2.5 A	On/off switch	✓
Hold time	26.8 ms	<b>Weight &amp; dimensions</b>	
Efficiency	88.1%	Width	125 mm
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Depth	100 mm
<b>Ports &amp; interfaces</b>		Height	64 mm
Motherboard power connector *	20+4 pin ATX	Weight	840 g
Motherboard power cable length	35 cm	<b>Packaging data</b>	
Number of SATA power connectors	3	Package width	197 mm
SATA power cable length	300,450,600 mm	Package depth	75 mm
Peripheral (Molex) power connectors (4-pin) *	2	Package height	207 mm
Peripheral (Molex) power cable length	300,450 mm	Package weight	1.19 kg
PCI Express power connectors (6+2 pin)	1	Package type	Box
PCI Express power cable length	40 cm	<b>Technical details</b>	
CPU P4 connector (4-pin)	1	Sustainability compliance	✓
CPU power cable length	40 cm	Sustainability certificates	ENERGY STAR, ErP
Floppy drive power connector	1	Compliance certificates	RoHS, WEEE

**Ports & interfaces**

Floppy disk drive cable length 60 cm

**Logistics data**

Shipping (inner) case length	45.7 cm
Shipping (inner) case width	26.5 cm
Shipping (inner) case height	23.3 cm
Products per shipping (inner) case	6 pc(s)
Shipping (inner) case gross weight	7.91 kg
Harmonized System (HS) code	84733020



4260052188262

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date