

EZVIZ BC1-B2 Kääntyvä alusta IP-turvakamera Sisätila ja ulkotila 1920 x 1080 pikseliä Seinä

Tuotemerkki : EZVIZ

Tuotekoodi: CS-BC1-B2

Tuotteen nimi : BC1-B2

EZVIZ BC1-B2. Malli: IP-turvakamera, Tuettu sijoitus: Sisätila ja ulkotila, Yhteysteknologia: Langallinen & langaton. Kiinnitystyyppi: Seinä, Tuotteen väri: Valkoinen, Kotelo: Kääntyvä alusta. Objektiivin kuvakulma, vaakasuora: 108°, Objektiivin kuvakulma, kulmittain: 128°. Anturin tyyppi: CMOS, Optisen sensorin koko: 25,4 / 2,8 mm (1 / 2.8"), Tehollisten pikselien lukumäärä (K x L): 1920 x 1080 pikseliä. Linssin halkaisija: 2,8 mm



Performance		Storage	
Type * Placement supported * Connectivity technology * Virtual assistant	IP security camera Indoor & outdoor Wired & Wireless Amazon Alexa & Apple Siri	Maximum memory card size	256 GB
		Ports & interfaces	
		Ethernet LAN (RJ-45) ports	1
Day/night mode		DC-in jack	1
Antenna type	Internal	Security	
Design		Video motion detection	✓
Form factor *	Turret	Detection distance	10 m
Mounting type *	Wall	Motion sensor	1
Product colour *	White	Motion sensor technology	Passive infrared (PIR) sensor
Housing material	Plastic	Management features	
Protection features	Dust resistant, Water resistant	Web-based management	1
International Protection (IP) code	IP66	Web browser	1
Weatherproof	, ,	Cloud services supported	EZVIZ Cloud
Camera		Firmware upgradeable	1
Lens viewing angle, horizontal	108°	Remotely operated	1
Lens viewing angle, diagonal	128°	Power	
Image sensor		Power source type *	AC, Battery
Number of sensors	1	Power consumption (typical)	5 W
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Power consumption (max)	5 W
Progressive scan	 Image: A set of the set of the	DC output voltage	5
Sensor type *	CMOS	Battery technology	Lithium
Number of effective pixels (H x V)	1920 x 1080 pixels	Battery capacity	12900 mAh
Lens system		Rechargeable battery	
Number of lenses *	1	Battery voltage	5 V
Lens diameter	2.8 mm	Operational conditions	
Night vision		Operating temperature (T-T)	-20 - 45 °C
Night vision *	 Image: A set of the set of the	Operating relative humidity (H-H)	0 - 95%
Night vision distance	10 m	System requirements	
LED type	IR	Linux operating systems supported	1
Video		Weight & dimensions	
Maximum resolution *	1920 x 1080 pixels	Diameter	6.28 cm
Total megapixels *	2 MP	Length	104.8 mm
Video compression formats	H.265	Weight	851 g
Supported graphics resolutions Supported video modes	1920 x 1080 (HD 1080) 1080p	Packaging data	
Supported video modes	TOODh		


Video		Packaging data	
Frame rate	30 fps	Package width	261 mm
Noise reduction	 Image: A set of the set of the	Package depth	180 mm
Noise reduction technology	3D noise reduction	Package height	217 mm
3D NR (Noise Reduction)	 Image: A set of the set of the	Package weight	1.3 kg
Full HD	1	Sustainability	
Image quality adjustment	DNR	Sustainability certificates	UL ECOLOGO
Digital Wide Dynamic Range (DWDR)	✓	Compliance certificates	CE, REACH, RoHS, WEEE
Audio		Packaging content	
		Number of cameras *	2
Built-in speaker(s)	 Image: A start of the start of	Cables included	AC, USB
Built-in microphone	✓	Mounting kit	1
Network		Mounting brackets included	1
Ethernet LAN *	✓	Screws included	1
Ethernet interface type	Gigabit Ethernet	Manual	1
Wi-Fi *	 Image: A set of the set of the	AC adapter included	1
Bluetooth *	×	Base included	1
Frequency band	2.4 GHz	Quick start guide	1
Storage		Wall mounting kit	 Image: A set of the set of the
Built-in HDD *	×	Other features	
Card reader integrated	1	Magnetic base	✓
Compatible memory cards	MicroSD (TransFlash)	Technical details	
		Microphone type	Omnidirectional
		Integrated PIR sensor	1

Lens mount interface
Logistics data

Harmonized System (HS) code

M12

85258900



6941545603292

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.