

QNAP TVS-675 NAS Tower ZhaoXin KaiXian KX-6000 KX-U6580 8 GB DDR4 0 TB QuTS hero musta

Tuotemerkki : QNAP

Tuotekoodi: TVS-675-8G

Tuotteen nimi : TVS-675

QNAP TVS-675. Malli: NAS. Alustatyyppi: Tower. Laitteen luokka: Pienet & Keskikokoiset Yritykset. Suoritinperhe: ZhaoXin KaiXian KX-6000, Prosessorimalli: KX-U6580, Prosessorin taajuus: 2,5 GHz. Sisäinen muisti: 8 GB, Sisäisen muistin tyyppi: DDR4. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QuTS hero



Storage		Performance	
Storage drive capacity *	0 GB	Type *	NAS
Supported storage drive interfaces	M.2, Serial ATA II, Serial ATA III	Device class *	Small & Medium Business
Storage drive sizes supported	2.5,3.5,M.2	Backup function *	✓
Number of M.2 (M & B) slots	2	Backup features	Cloud, USB drive, iSCSI LUN
RAID support *	✓	Buzzer	✓
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Multilingual support	✓
Online RAID migration	✓	Number of users	2000 user(s)
Online RAID expansion	✓	Noise level	20.2 dB
RAID rebuild	✓	Third-party support	✓
Hot-swap drive bays	✓	Snapshot	✓
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Share folder access right management	✓
Storage drives installed *	✗	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMPv2, SNMPv3, SSL/TLS
Total installed storage capacity *	0 TB	Access Control List (ACL)	✓
Number of storage drives supported *	6	Reset button	✓
Installed storage drive type *	✗	On/off switch	✓
Supported storage drive types *	HDD & SSD	Built-in FTP server	✓
Bad block scan	✓	Browser supported	Apple Safari, Google Chrome, Mozilla Firefox, Microsoft Edge
Disk roaming	✓	System log	✓
		Hot spare	✓
		Password authentication	✓
		Disk scan	✓
		S.M.A.R.T. support	✓
		Share folder	AFP, CIFS/SMB, FTP, WebDAV
		USB copy function	✓
Processor		Software	
Processor manufacturer *	ZhaoXin	Operating system installed *	QuTS hero
Processor family *	ZhaoXin KaiXian KX-6000	Operating system version	h5.0.0
Processor model *	KX-U6580		
Processor frequency *	2.5 GHz		
Processor cores	8		
On-board graphics card model	ZhaoXin C960		
Memory			
Internal memory *	8 GB		
Internal memory type	DDR4		
Maximum RAM supported	64 GB		
Memory slots	2		
Memory form factor	SO-DIMM		
Flash memory	5000 MB		

Network		Software	
Ethernet LAN *	✓		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Ethernet LAN data rates	100,1000,2500 Mbit/s		
DHCP client	✓		
DHCP server	✓		
Jumbo frames support	✓		
iSCSI support	✓		
Wake-on-LAN ready	✓		
Supported network protocols	IPv4, IPv6	Windows operating systems supported	
Link aggregation	✓		
Load balancing system	✓		
Dynamic DNS (DDNS)	✓		
Ports & interfaces			
USB port *	✓		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2		
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2		
HDMI ports quantity	1		
HDMI version	2.0	Linux operating systems supported	CentOS 7.0, SuSE Linux 12.0, SuSE Linux 12.3, SuSE Linux 15, Ubuntu 14.04, Ubuntu 14.10, Ubuntu 15.04, Ubuntu 15.10, Ubuntu 16.04, Ubuntu 16.10, Ubuntu 17.10, Ubuntu 18.04 LTS, Ubuntu 20.04 LTS
Ethernet LAN (RJ-45) ports *	2		
Concurrent connections	2000		
PCI Express x4 (Gen 3.x) slots	2		
Design			
Chassis type *	Tower	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur
Cooling type *	Active		
Product colour	Black		
Number of fans	3 fan(s)		
Fan diameter	8 cm		
LED indicators	HDD, LAN, SSD, Status, USB		
Cable lock slot	✓	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Cable lock slot type	Kensington	Other operating systems supported	IBM AIX 7.1, IBM AIX 7.2, Solaris 10, Solaris 11
		Power	
		Power supply location	Built-in
		Power supply unit (PSU) capacity	250 W
		Number of power supply units	1
		Power consumption (typical)	60.794 W
		Power consumption (HDD standby)	41.897 W
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz
		Fan voltage	12 V
		Weight & dimensions	
		Width *	263.9 mm
		Depth *	280.8 mm
		Height *	188.2 mm
		Weight	6.2 kg
		Package weight	7.67 kg
		Packaging content	
		Cables included	AC, LAN (RJ-45)
		Power cables quantity	1
		Quick installation guide	✓
		Number of screws	36
		Drive tray key included	✓
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C

Operational conditions

Operating relative humidity (H-H)	5 - 95%
Storage temperature (T-T)	-20 - 70 °C
Storage relative humidity (H-H)	5 - 95%

Logistics data

Harmonized System (HS) code	84714100
-----------------------------	----------

Other features

Fibre Channel	✓
---------------	---



4713213519387



4713213519394

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.