## ASUS Phoenix PH-RTX3060-12G-V2 NVIDIA GeForce RTX 3060 12 GB GDDR6

Brand : ASUS Product family: Phoenix Product code: 90YV0GB4-

M0NA10

Product name: PH-RTX3060-12G-V2

- NVIDIA Ampere Streaming Multiprocessors: The building blocks for the world's fastest, most efficient GPUs, the all-new Ampere SM brings 2X the FP32 throughput and improved power efficiency
- 2nd Generation RT Cores: Experience 2X the throughput of 1st gen RT Cores, plus concurrent RT and shading for a whole new level of ray tracing performance
- 3rd Generation Tensor Cores: Get up to 2X the throughput with structural sparsity and advanced Al algorithms such as DLSS. These cores deliver a massive boost in game performance and all-new Al capabilities
- Axial-tech fan design has been tuned up with more fan blades and a reversed rotational direction for the center fan
- Dual ball fan bearings can last up to twice as long as sleeve bearing designs
- Auto-Extreme Technology uses automation to enhance reliability
- A protective backplate prevents PCB flex and trace damage
- 12 GB, GDDR6, 192-bit, PCI-Express 4.0, 1777 MHz boost clock, 3xDisplayPort, HDMI, 2.55 slot





Processor		Performance	
CUDA * CUDA cores Graphics processor family * Graphics processor * Processor boost clock speed Processor boost clock speed (OC mode)	✓ 3584 NVIDIA GeForce RTX 3060 1777 MHz 1807 MHz	TV tuner integrated * DirectX version * OpenGL version * HDCP Dual Link DVI * NVIDIA G-SYNC	X 12 Ultimate 4.6  X
Maximum resolution * Parallel processing technology support * Maximum displays per videocard FireStream	7680 x 4320 pixels  Not supported  4  X	Design Cooling type * Cooling technology Number of fans Form factor	Active ASUS Axial-tech 1 fan(s) Full-Height/Half-Length (FH/HL)
Memory Discrete graphics card memory * Graphics card memory type * Memory bus * Data transfer rate	12 GB GDDR6 192 bit 15 Gbit/s	Number of slots Product colour  Power  Minimum system power supply *	2.55 Black 650 W
Ports & interfaces		Supplementary power connectors  Weight & dimensions	1x 8-pin
Interface type * PCI Expr HDMI ports quantity * 1 HDMI version 2.1 DisplayPorts quantity * 3 DisplayPort version 1.4a	2.1	Length Depth Height	177 mm 51 mm 128 mm
	_	Packaging data Package type	Вох
		Packaging content	
		Manual	✓

LOQ	istics	aata

Harmonized System (HS) code

84733020





4711081310129

0195553310093



195553310093

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.