

BenQ TH671ST Standard throw projector 3000 ANSI lumens DLP 1080p (1920x1080) White

Brand : BenQ Product code: 9H.JGY77.1HE

Product name: TH671ST

- Experience Smooth Gaming Action with Ultra-low Input Lag
- Best Viewing Comfort in Any Lighting Conditions with LumiExpert $^{\scriptscriptstyle\mathsf{TM}}$ Technology
- Short Throw Projection Ensures 100" Screen From 1.5 Meters Distance

 $3000\ \text{Im},\,1920x1080,\,16:9,\,\text{DLP},\,240\ \text{W},\,30^{\text{-}}300^{\text{"}},\,\text{RMS}\,5\,\text{W},\,2x\,\text{VGA},\,2x\,\text{HDMI},\,\text{USB}\,\text{A},\,\text{USB}\,\text{Mini}\,\text{B},\,2x\,3.5\text{mm},\,\text{IR},\,296x224x120\,\,\text{mm}$

BenQ TH671ST. Projector brightness: 3000 ANSI lumens, Projection technology: DLP, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 10000 h. Focal length range: 10.2 - 12.24 mm, Aperture range (F-F): 2.6 - 2.78, Zoom ratio: 1.1:1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 1.4a





Projector		Ports & interfaces	
Supported aspect ratios Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Horizontal scan range	16:9 762 - 7620 mm (30 - 300") 3000 ANSI lumens DLP 1080p (1920x1080) 10000:1 16:9 1.073 billion colours 15 - 102 kHz	AC (power) in	✓
		Network	
		Smart TV *	×
		Ethernet LAN *	×
		Wi-Fi *	X
		Storage	
		Card reader integrated *	×
Vertical scan range	23 - 120 Hz	Features	
Keystone correction, vertical	-40 - 40°	Noise level (economic mode)	29 dB
Light source		HDCP	1
Light source type * Service life of light source * Service life of light source (economic mode)	Lamp 4000 h 10000 h	On Screen Display (OSD) On Screen Display (OSD) languages	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish
Lamp power Lamps quantity	240 W 1 lamp(s)		
Lens system Focal length range	10.2 - 12.24 mm		
Aperture range (F-F)	2.6 - 2.78	Noise level *	33 dB
Zoom ratio	m ratio 1.1:1	Multimedia	
Throw ratio Offset	0.69 - 0.83:1 102.5%	Built-in speaker(s) * RMS rated power	✓ 5 W
Video		Number of built-in speakers	1
Analog signal format system *	NTSC, PAL, SECAM ✓	Design	
Full HD *		Market positioning *	Home cinema
3D *	×		

Video		Design	
Supported graphics resolutions Supported video modes Video colour modes	640 x 480 (VGA), 1920 x 1080 (HD 1080) 480i, 480p, 576i, 576p, 720p, 1080i, 1080p Bright cinema, Cinema, Game, Sports	Product type * Product colour * Placement Cable lock slot Cable lock slot type	Standard throw projector White Desktop Kensington
Ports & interfaces		Display	
HDMI connector type HDMI version USB 2.0 ports quantity Serial interface type * PC Audio in PC Audio out VGA (D-Sub) ports quantity * HDMI ports quantity * DVI port * Mobile High-Definition Link (MHL)		Built-in display *	×
		Power	
		Power source * Power consumption (typical) * Power consumption (standby) * AC input voltage AC input frequency Operational conditions Operating temperature (T-T) Weight & dimensions Width Depth Height Weight *	AC 320 W 0.5 W 100 - 240 V 50 - 60 Hz 0 - 40 °C 296 mm 120 mm 224 mm 2.7 kg
		Packaging content	
		Remote control included * Batteries included Cables included	✓ ✓
			AC, VGA
		Logistics data	05206200
		Harmonized System (HS) code	85286200

