



## BenQ EH600 Vakioprojektori 3500 ANSI lumenia DLP 1080p (1920x1080) 3D Valkoinen

**Tuotemerkki :** BenQ

**Tuotekoodi:** 9H.JLV77.1HE

**Tuotteen nimi :** EH600

BenQ EH600. Projektorin kirkkaus: 3500 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 5000 h, Valonlähteen käyttöikä (säästötila): 10000 h. Tarkennus: Ohje, Polttovälialue: 22 - 24.1 mm, Aukkoalue (F-F): 2,56 - 2,68. Analogisen signaalin järjestelmä: NTSC, PAL, SECAM, Tuetut 3D-formaatit: Peräkkäiset kuvat, Kuvan pakkaus, Vierekkäin, Ylhäällä ja alhaalla, Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 1920 x 1200 (WUXGA). Sarjaliitännän tyyppi: RS-232, HDMI/liitäntätyyppi: Täysikokoinen, HDMI-versio: 1.4a



Projector		Network	
Supported aspect ratios	4:3, 16:10, 16:9	Bluetooth version	4.0
Smart projector *	✓	<b>Storage</b>	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Card reader integrated *	✗
Projector brightness *	3500 ANSI lumens	Internal storage capacity	16 GB
Projection technology *	DLP	Internal memory	2 GB
Projector native resolution *	1080p (1920x1080)	<b>Features</b>	
Contrast ratio (typical) *	10000:1	Interactive *	✗
Native aspect ratio *	16:9	Noise level (economic mode)	29 dB
Number of colours	1.07 billion colours	HDCP	✓
Horizontal scan range	15 - 102 kHz	On Screen Display (OSD)	✓
Vertical scan range	23 - 120 Hz	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese
Keystone correction, vertical	-40 - 40°	Number of OSD languages	30
Matrix size	1.65 cm (0.65")	Noise level *	33 dB
Matrix type	DMD	Compatible operating systems	Windows Mac/iOS Android
<b>Light source</b>		Operating system installed	Android TV
Light source type *	Lamp	Operating system version	6.0
Service life of light source *	5000 h	<b>Multimedia</b>	
Service life of light source (economic mode)	10000 h	Built-in speaker(s) *	✓
Lamp power	200 W	RMS rated power	2 W
Lamps quantity	1 lamp(s)	Number of built-in speakers	1
<b>Lens system</b>			
Focus *	Manual		
Focal length range	22 - 24.1 mm		
Aperture range (F-F)	2.56 - 2.68		
Zoom capability	✓		
Zoom ratio	1.1:1		
Throw ratio	1.49 - 1.64		

<b>Lens system</b>		<b>Design</b>	
Offset	108%	Market positioning *	Business
<b>Video</b>		Product type *	Standard throw projector
Analog signal format system *	NTSC, PAL, SECAM	Product colour *	White
Full HD *	✓	Placement	Ceiling, Desktop
3D *	✓	<b>Display</b>	
Supported 3D formats	Frame Sequential, Frame packing, Side by side, Top and bottom	Built-in display *	✗
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	<b>Power</b>	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power source *	AC
<b>Ports &amp; interfaces</b>		Power consumption (typical) *	280 W
HDMI connector type	Full-size	Power consumption (standby) *	0.5 W
HDMI version	1.4a	Power consumption (max)	320 W
USB 2.0 ports quantity	2	Power consumption (economy mode)	235 W
Mini-USB 2.0 ports quantity	1	AC input voltage	100 - 240 V
Serial interface type *	RS-232	AC input frequency	50 - 60 Hz
PC Audio in	✓	<b>Operational conditions</b>	
PC Audio out	✓	Operating temperature (T-T)	0 - 40 °C
PC in (D-Sub)	✓	Storage temperature (T-T)	-20 - 60 °C
VGA (D-Sub) ports quantity *	2	Operating relative humidity (H-H)	10 - 90%
HDMI ports quantity *	1	Storage relative humidity (H-H)	10 - 90%
DVI port *	✗	Operating altitude	0 - 1499 m
AC (power) in	✓	<b>Weight &amp; dimensions</b>	
<b>Network</b>		Width	296 mm
Ethernet LAN *	✗	Depth	232 mm
Wi-Fi *	✓	Height	120 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Weight *	2.5 kg
Bluetooth	✓	<b>Packaging content</b>	
		Remote control included *	✓
		Cables included	AC, VGA
		<b>Logistics data</b>	
		Quantity per pack	1 pc(s)
		Harmonized System (HS) code	85286200

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-MAR-2025. Prints or copies of Information are only valid on the printed Publication date