## Epson LightScene EV-110 Standard throw projector 2200 ANSI lumens 3LCD WXGA (1280x800) White

Brand : Epson

Product family: LightScene

Product code: V11HA22040

Product name : EV-110

Epson LightScene EV-110. Projector brightness: 2200 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WXGA (1280x800). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 18.2 - 28.4 mm, Aperture range (F-F): 1.51 - 1.92. Wi-Fi standards: 802.11b, 802.11g, Wi-Fi 4 (802.11n). Compatible memory cards: SD



Projector		Design	
Projection distance0.9Projection distance (wide)0.9	762 - 3810 mm (30 - 150") 0.9 - 4.5 m 0.9 - 4.5 m 2200 ANSI lumens	Market positioning * Product type * Product colour * Placement	Business Standard throw projector White Ceiling, Floor, Lighting track, Wall
Projection technology *	3LCD WXGA (1280x800) 2000:1	Display	
Projector native resolution * Contrast ratio (typical) *		Built-in display *	×
Native aspect ratio *	16:10	Power	
Number of colours Projector brightness (economic mode) Keystone correction, horizontal Keystone correction, vertical	16.78 million colours 1100 ANSI lumens -40 - 40° -45 - 45°	Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (economy mode)	AC 149 W 0.4 W 112 W
Matrix size	1.5 cm (0.59")	AC input voltage	100-240 V
Light source		AC input frequency	50 - 60 Hz
Light source type * Service life of light source * Service life of light source (economic mode)	Laser 20000 h 30000 h	Software Software support	via: Crestron (Network), Crestron Integrated Partner, Crestron RoomView
Lens system		<b>Operational conditions</b>	
Focus * Focal length range Aperture range (F-F) Zoom capability	*     Manual       length range     18.2 - 28.4 mm       ure range (F-F)     1.51 - 1.92	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 40 °C -10 - 60 °C 20 - 80% 10 - 90%
Zoom type	Auto	Weight & dimensions	
Zoom ratio Throw ratio	1.58:1 1.38 - 2.19:1	Width Depth	175 mm 260 mm
Video		Height	175 mm
Analog signal format system * Full HD * 3D *	Not supported <ul> <li>×</li> <li>×</li> </ul>	Weight * Package width Package depth Package height	5 kg 471 mm 530 mm 247 mm
Ports & interfaces		Package weight	9.43 kg
USB 2.0 ports quantity USB 2.0 Type-B ports quantity	2 1	Power adapter width Power adapter depth	36.1 cm 11 cm

Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	1	Power adapter height	6.5 cm
Network		Packaging content	
Ethernet LAN *	×	Remote control included *	✓
Wi-Fi *	<ul> <li>Image: A set of the set of the</li></ul>	Batteries included	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Cables included	AC
Storage		Manual	<ul> <li>Image: A set of the set of the</li></ul>
Card reader integrated *	✓	Bundled software	Inhalt DIY-App, Epson Projektor Content Manager
Compatible memory cards	SD	Logistics data	
FeaturesNoise level (economic mode)22 dBNoise level *34 dBCountry of originChinaPassword protection✓	34 dB China	Quantity per pack Products per pallet (UK) Pallet weight (UK) Harmonized System (HS) code Other features	1 pc(s) 32 pc(s) 0 g 85286200
		Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink



8715946689326

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.