

## StarTech.com SV431DPDDUA2 KVM-kytkin Telineasennus musta

**Tuotemerkki :** StarTech.com

**Tuotekoodi:** SV431DPDDUA2

**Tuotteen nimi :** SV431DPDDUA2

StarTech.com SV431DPDDUA2. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: DisplayPort. HD-tyyppi: 4K Ultra HD, Enimmäiserottelutarkkuus: 3840 x 2160 pikseliä, Tiedonsiirtonopeus (maks.): 0,5 Gbit/s. Tuotteen väri: musta, Telineen kapasiteetti: 2U, Kotelon materiaali: Terästä. Voimanlähde: AC, Tulojännite: 100 - 240 V, Syöttöjännite: 0.6 A. Vaatimustenmukaisuustodistukset: RoHS



Ports & interfaces		Power	
Number of computers controlled *	4	Input voltage	100 - 240 V
Keyboard port type *	USB	Input current	0.6 A
Mouse port type *	USB	Output voltage	12 V
Video port type *	DisplayPort	Output current	1.5 A
DisplayPorts quantity	10	Power consumption (typical)	18 W
Console ports *	3.5mm headphone, 3.5mm mic, DisplayPort, USB A	External power adapter	✓
Console USB ports quantity	4	Power plug type	Type M
USB hub	✓	Compatible power plug types	AU, EU, JP, UK, US
USB connector type	USB Type-A	<b>Sustainability</b>	
Audio connections	✓	Compliance certificates	RoHS
DC-in jack	✓	<b>Operational conditions</b>	
<b>Performance</b>		Operating temperature (T-T)	0 - 40 °C
HD type *	4K Ultra HD	Storage temperature (T-T)	-10 - 60 °C
Maximum resolution *	3840 x 2160 pixels	Operating relative humidity (H-H)	0 - 80%
Data transfer rate (max)	0.5 Gbit/s	<b>Weight &amp; dimensions</b>	
Scan interval	3,8,15,30 s	Width	216 mm
Daisy chain	✗	Depth	127 mm
<b>Design</b>		Height	63 mm
Rack mounting *	✓	Weight	1.2 kg
Rack capacity	2U	<b>Packaging data</b>	
Product colour *	Black	Package width	243 mm
Housing material	Steel	Package depth	297 mm
LED indicators	Power	Package height	87 mm
Hot keys	✓	Package weight	1.8 kg
Mean time between failures (MTBF)	142000 h	<b>Packaging content</b>	
Certification	CE, FCC, TAA, REACH	Quick installation guide	✓

Display		Packaging content	
Built-in display *	✘	Rubber feet	✔
Power		Other features	
Power source	AC	Audio support	✔
		IP control	✘
Logistics data			
		Harmonized System (HS) code	85176200



0065030867863



065030867863

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date