

## StarTech.com HB31C2A1CGS keskitin USB 3.2 Gen 2 (3.1 Gen 2) Type-C 10000 Mbit/s musta, Harmaa

**Tuotemerkki :** StarTech.com

**Tuotekoodi:** HB31C2A1CGS

**Tuotteen nimi :** HB31C2A1CGS

StarTech.com HB31C2A1CGS. Isäntäkoneen käyttöliittymä: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, Liittimiä: RJ-45, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C. Tiedonsiirtonopeus: 10000 Mbit/s, Tuotteen väri: musta, Harmaa, Kotelon materiaali: Alumiini, Muovi. Ethernet-liitännän tyyppi: Nopea Ethernet, Gigabitti Ethernet. Virtalähteen tyyppi: AC, Virrankulutus: 24 W, Tulojännite: 110 - 240 V. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High..., Tuetut palvelinkäyttöjärjestelmät: Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 x64



Ports & interfaces		System requirements	
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Linux operating systems supported	✓
Hub interfaces *	RJ-45, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 x64
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Other operating systems supported	Android
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Weight & dimensions	
Ports quantity *	4	Width	60 mm
Ethernet LAN (RJ-45) ports	1	Depth	100 mm
DC-in jack	✓	Height	25 mm
		Weight	87 g
Features		Packaging data	
Data transfer rate *	10000 Mbit/s	Quantity per pack	1 pc(s)
Product colour	Black, Grey	Package width	150 mm
Housing material	Aluminium, Plastic	Package depth	210 mm
LED indicators	Link, Power	Package height	51 mm
Cable length	1 m	Package weight	500 g
Plug and Play	✓	Packaging content	
Certification	CE, FCC, RoHS, REACH	AC adapter included	✓
Network		Included power plug types	ANZ, EU, JP, NA, UK
Ethernet interface type	Fast Ethernet, Gigabit Ethernet	Cables included	USB Type-C
Full duplex	✓	Operational conditions	
Auto MDI/MDI-X	✓	Operating temperature (T-T)	0 - 50 °C
UASP support	✓	Storage temperature (T-T)	-20 - 70 °C
Power		Operating relative humidity (H-H)	0 - 95%
Power supply type	AC	Logistics data	
Power consumption (typical)	24 W	Master (outer) case width	450 mm
Input voltage	110 - 240 V	Master (outer) case length	320 mm

Power		Logistics data	
Input current	0.8 A	Master (outer) case height	570 mm
Output voltage	12 V	Products per master (outer) case	40 pc(s)
Output current	2 A	Harmonized System (HS) code	84719000
Power plug type	Type M	Other features	
System requirements		Chipset	Realtek - RTL5428, Realtek - RTL8153B
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64		
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura		



0065030877916



065030877916

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.