ASUS Dual -RX6700XT-O12G AMD Radeon RX 6700 XT 12 GB GDDR6

Brand : ASUS **Product family:** Dual **Product code:** 90YV0G83-M0NA00

Product name: DUAL-RX6700XT-O12G

- OC mode: Up to 2622 MHz (Boost Clock)/up to 2494 MHz (Game Clock)
- Gaming mode: Up to 2620 MHz (Boost Clock)/up to 2474 MHz (Game Clock)
- Axial-tech fan design features a smaller fan hub that facilitates longer blades and a barrier ring that increases downward air pressure
- Dual ball fan bearings can last up to twice as long as sleeve bearing designs
- Auto-Extreme Technology uses automation to enhance reliability
- A protective backplate prevents PCB flex and trace damage
- 12 GB, GDDR6, 192-bit, PCI-Express 4.0, 2622 MHz boost clock, 3xDisplayPort, HDMI, 2.7 slot ASUS Dual -RX6700XT-012G. Graphics processor family: AMD, Graphics processor: Radeon RX 6700 XT. Discrete graphics card memory: 12 GB, Graphics card memory type: GDDR6, Memory bus: 192 bit. Maximum resolution: 7680 x 4320 pixels. DirectX version: 12 Ultimate, OpenGL version: 4.6. Interface type: PCI Express 4.0. Cooling type: Active, Number of fans: 2 fan(s)





Processor		Performance	
CUDA * Graphics processor family * Graphics processor * Processor boost clock speed (OC mode) Maximum resolution * Parallel processing technology support *	X AMD Radeon RX 6700 XT 2622 MHz 7680 x 4320 pixels Crossfire	Virtual Reality (VR) ready HDCP Dual Link DVI * AMD FreeSync Design Cooling type * Cooling technology	Active ASUS Axial-tech
Stream processors Maximum displays per videocard Memory	2560 4	Number of fans Form factor Bracket height	2 fan(s) Full-Height/Full-Length (FH/FL) Full-Height (FH)
Discrete graphics card memory * Graphics card memory type * Memory bus * Data transfer rate	12 GB GDDR6 192 bit 16 Gbit/s	Number of slots Illumination Product colour Power	2.7 ✓ Black, Silver
Ports & interfaces		Minimum system power supply *	650 W
Interface type * HDMI ports quantity * HDMI version DisplayPorts quantity * DisplayPort version	PCI Express 4.0 1 2.1 3 1.4a	Supplementary power connectors Weight & dimensions Length Depth	1x 6-pin, 1x 8-pin 295 mm 55 mm
Performance		Height Packaging data	139 mm
TV tuner integrated * DirectX version * OpenGL version *	X 12 Ultimate 4.6	Package type Packaging content Manual	Box

00	istics	data
ьоч	ISLICS	uata

Harmonized System (HS) code

84733020





4711081433057

0195553433044



195553433044

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.