



## Canon imagePROGRAF GP-300 suurkokotulostin Wi-Fi Bubblejet Väri 2400 x 1200 DPI A0 (841 x 1189 mm) Ethernet LAN

**Tuotemerkki :** Canon

**Tuoteperhe:** imagePROGRAF

**Tuotekoodi:** 5251C003

**Tuotteen nimi :** GP-300

Canon imagePROGRAF GP-300. Tulostustekniikka: Bubblejet, Suurin resoluutio: 2400 x 1200 DPI, Sivunkuvauskielet: JPEG, PDF. Syöttökapasiteetti yhteensä: 1 arkkiä. Suurin tulostusalue: A0 (841 x 1189 mm), Paperikasetin tulostusmateriaalityypit: Leikattu arkki, Kiiltävä paperi, Raskas paperi, Tavallinen paperi, Rulla, ISO A-sarjan koot (A0...A9): A0, A1, A2, A3, A3+. USB-liitin: USB Type-A / USB Type-B, Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s. Tuotteen väri: musta, Ohjaustyypit: Painikkeet, Sisäinen muisti: 2048 MB



| Printing                        |   | Performance                         |   |
|---------------------------------|---|-------------------------------------|---|
| Print technology *              | Bubblejet   | Colour display                      | ✓   |
| Colour *                        | ✓   | Control type                        | Buttons   |
| Maximum resolution *            | 2400 x 1200 DPI   | Internal memory                     | 2048 MB   |
| Number of print cartridges *    | 6   | Internal storage capacity           | 500 GB  |
| Page description languages *    | JPEG, PDF   | Sound pressure level (standby)      | 35 dB   |
| Printing colours *              | Black, Cyan, Magenta, Matte black, Yellow               | Sound pressure level (printing)     | 49 dB   |
| Borderless printing             | ✓   | Certification                       | TUV, CB   |
| Print head                      | PF-07   |                                     |   |
| Copying                         |   | Power                               |   |
| Copying *                       | ✗   | Power consumption (typical)         | 74 W  |
|                                 |   | Power consumption (off)             | 0.3 W   |
| Scanning                        |   | AC input voltage                    | 100 - 240 V   |
| Scanning *                      | ✗   | AC input frequency                  | 50 - 60 Hz  |
| Input & output capacity         |   | Operational conditions              |   |
| Total number of input trays     | 1   | Operating temperature (T-T)         | 15 - 30 °C  |
| Total input capacity            | 1 sheets  | Operating relative humidity (H-H)   | 10 - 80%  |
| Paper handling                  |   | System requirements                 |   |
| Maximum print size *            | A0 (841 x 1189 mm)                                      | Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows 8.1   |
| Paper tray media types *        | Cut sheet, Glossy paper, Heavy paper, Plain paper, Roll | Mac operating systems supported     | Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur |
| ISO A-series sizes (A0...A9)    | A0, A1, A2, A3, A3+                                     |                                     |   |
| ISO B-series sizes (B0...B9)    | B1, B2, B4  |                                     |   |
| Borderless printing media sizes | A0, A1, A2, A3, A3+, B4                                 |                                     |   |
| Cut sheets *                    | ✓   |                                     |   |
| Media thickness                 | 0.8 mm  |                                     |   |
| Maximum roll length             | 18 m  |                                     |   |
| Maximum roll width              | 91.7 cm   |                                     |   |
| Maximum roll diameter           | 15 cm   |                                     |   |
| Print margin cut-sheet          | 3, 3, 3 mm  | Sustainability                      |   |
|                                 |   | Sustainability compliance           | ✓   |

|                               |                         |                                |          |
|-------------------------------|-------------------------|--------------------------------|----------|
| <b>Paper handling</b>         |                         | <b>Weight &amp; dimensions</b> |          |
| Print margin roll             | 2 cm                    | Width                          | 1289 mm  |
| <b>Ports &amp; interfaces</b> |                         | Depth                          | 870 mm   |
| Wi-Fi *                       | ✓                       | Height                         | 1060 mm  |
| Ethernet LAN *                | ✓                       | Weight                         | 59 kg    |
| USB port *                    | ✓                       | <b>Packaging data</b>          |          |
| USB connector                 | USB Type-A / USB Type-B | Package width                  | 1462 mm  |
| Ethernet LAN data rates       | 10,100,1000 Mbit/s      | Package depth                  | 913 mm   |
| <b>Performance</b>            |                         | Package height                 | 709 mm   |
| Product colour *              | Black                   | Package weight                 | 59 kg    |
| Built-in display *            | ✓                       | <b>Logistics data</b>          |          |
|                               |                         | Harmonized System (HS) code    | 84433210 |
|                               |                         | <b>Technical details</b>       |          |
|                               |                         | Compliance certificates        | CE       |



4549292187922

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date