Canon

Canon imagePROGRAF GP-2000 large format printer Wi-Fi Thermal inkjet Colour 2400 x 1200 DPI A1 (594 x 841 mm) Ethernet LAN

Brand : Canon

Product family: imagePROGRAF Product code: 5255C003

Product name : GP-2000

11 Colour 24", 2400 x 1200 dpi, 18432 nozzles, A1, 3GB RAM, 500GB ROM, 102 kg Canon imagePROGRAF GP-2000. Print technology: Thermal inkjet, Maximum resolution: 2400 x 1200 DPl, Page description languages: JPEG, PDF. Maximum print size: A1 (594 x 841 mm), Paper tray media types: Cut sheet, Glossy paper, Heavy paper, Plain paper, Roll, ISO A-series sizes (A0...A9): A1, A2, A3, A3+. USB connector: USB Type-A / USB Type-B, Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Black, Control type: Buttons, Internal memory: 3000 MB. Power consumption (standby): 2 W, Power consumption (typical): 84 W, Power consumption (off): 0.3 W





Paper tray media types *Cut sheet, Glossy paper, Heavy paper, Plain paper, RollX 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3				
Colour.*Sound pressure level (printing)48 dBMaximum resolution *2400 x 1200 DPICertificationTUV, CBNumber of print cartridges *6PowerTUV, CBPage description languages *JPEG, PDFPower consumption (standby)2 WPrinting colours *Black, Cyan, Magenta, Matte blackPower consumption (standby)2 WBorderless printing *Power consumption (standby)2 WPrint head*AC input voltage100 - 240 VPrint head*Power consumption (off)0.3 WCopying *XOperating temperature (T-T)15 - 30 °CScanning *XOperating reglative humidity (H-H)10 - 80%Scanning *A1 (594 x 841 mm)SupportedWindows 10, Windows 7, Windows 8.1 Mac OS X 10.15 and CS X 10.15 an	Printing		Performance	
Autimum resolution *2400 x 1200 DPICertificationTUV, CBNumber of print cartridges *6PowerPowerPage description languages *JPEG, PDFPower consumption (standby)2 WPrinting colours *Black, Cyan, Magenta, Matte black reliowPower consumption (typical)84 WBorderless printing*Power consumption (typical)84 WPrint headPF-100.3 WAC input voltage100 - 240 VCopying*Operating temperature (T-T)5 - 60 HzCopying *XOperating temperature (T-T)15 - 30 °CScanning *XSystem requirementsWindows operating systems supportedWindows 10, Windows 7, WindowsMaximum print size *A1 (594 x 841 mm) Cut sheet, Glossy paper, Plan paper, Plan paper, Plan paper, Plan paper, Plan Borderless printing media sizesA1Mac operating systems supportedWindows 05 X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15.3 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.5.3 Catalina, Mac OS X 10.5.3 Catal				
Maximum rol length leng		•	1 1 5,	
Page description languages PEG, PDF Page description languages PEG, PDF Printing colours Black, Cyan, Magenta, Matte black Yellow Power consumption (typical) 84 W Borderless printing - AC input voltage 100 - 240 V Print head PF-10 AC input voltage 100 - 240 V Copying - AC input voltage 100 - 240 V Copying - AC input voltage 100 - 240 V Scanning - Operating temperature (T-T) 15 - 30 °C Scanning - Operating relative humidity (H-H) 10 - 80% Scanning - System requirements Paper handling - System requirements Maximum print size* A1 (594 x 841 mm) Windows operating systems supported Mac OS x 10.13 High Sierra, Mac OS x 10.15 a So Aseries sizes (A0A9) A1, A2, A3, A3+ Mac operating systems supported Mac OS x 10.15 a Borderless printing media sizes A1 A1 System requirements Maximum roll length 18 m Mac operating systems supported System consumption (SS 110.3 B Mountain Lion, Mac OS X 10.4 Mojave, Mac OS X 10.5 Soot 1.0.5 Soo			Certification	IUV, CB
Printing colours * VellowBlack, Cyan, Magenta, Matte black VellowPower consumption (stailody)2 w Power consumption (stailody)Borderless printing✓Power consumption (stailody)84 WBorderless printing✓Power consumption (off)0.3 WPrint headPF-10AC input voltage100 - 240 VCopying✓Operating temperature (T-T)50 - 60 HzCopying *XOperating temperature (T-T)15 - 30 °CScanning×Operating relative humidity (H-H)10 - 80%Scanning *XSystem requirementsPaper handlingWindows operating systems 	1 5	-	Power	
Printing colours * YellowYellowYellowPower consumption (typical)84 WBorderless printing✓ Power consumption (off)0.3 WPrint headPF-10AC input voltage100 - 240 VCopying✓ Copying*So - 60 HzCopying *XOperational conditionsCopying *XOperating temperature (T-T)15 - 30 °CScanning *XOperating relative humidity (H-H)10 - 80%Scanning *XSystem requirementsPaper handlingWindows operating systems supportedWindows 10, Windows 7, Windows Nindows 8, Windows 8,	Page description languages *	•	Power consumption (standby)	2 W
Borderless printing/AC input voltage AC input voltage100 - 240 VPrint headPF-10AC input frequency50 - 60 HzCopyingXOperational conditionsCopying *XOperating temperature (T-T)15 - 30 °CScanningXOperating relative humidity (H-H)10 - 80%Scanning *XSystem requirementsPaper handlingWindows operating systems supportedWindows 10, Windows 7, Windows 8, Windows 8.1 Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3Mac operating systems supportedISO A-series sizes (A0A9)A1, A2, A3, A3+ A1Mac operating systems supportedMac operating systems supported OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.6 Snow Leopard, Mac OS X 10.16 Maximum roll length18 mMaximum roll width61 cm Maximum roll diameterSustainabilitySustainabilityWiFi *Wight & dimensionsSustainability complianceWift *100 mmSustainability compliance	Printing colours *			
Print head PF-10 AC input frequency 50 - 60 Hz Copying X Operational conditions Copying * X Operating temperature (T-T) 15 - 30 °C Scanning X Operating relative humidity (H-H) 10 - 80% Scanning * X System requirements Paper handling Windows operating systems supported Windows 10, Windows 7, Windows 8, 1 Mac OS X 10.13 High Sierra, Mac OS X 10.15 Cut sheet, Glossy paper, Heavy paper, Plain paper, Roll Windows operating systems supported Windows 0.1 U.S.3 Catalina, Mac OS X 10.15 Jigo Catalina, Mac OS X 10.15 Catalina, Mac OS X 10.15 Jigo Catalina, Mac OS X 10.15 Catalina, Mac OS X 10.15 Jigo Catalina, Mac OS X 10.2 Jiguar, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur Maximum roll width 61 cm Sustainability Maximum roll width 61 cm Sustainability compliance Maximum roll width 61 cm Sustainability compliance Maximum roll width 61 cm Sustainability compliance Wiefth & dimensions Widthe dimensions </td <td>Borderless printing</td> <td>1</td> <td></td> <td></td>	Borderless printing	1		
Copying Marian conditions Copying * X Operational conditions Scanning Verational conditions 15 - 30 °C Scanning Operating temperature (T-T) 10 - 80% Scanning * X System requirements Paper handling Windows operating systems Windows 10, Windows 7, Windows 8, Wind	Print head	PF-10		
Copying *×Operational conditionsCopying *×Operating temperature (T-T)15 - 30 °CScanningOperating relative humidity (H-H)10 - 80%Scanning *×System requirementsPaper handlingVindows operating systems suportedWindows 10, Windows 7, Windows 8, Windows 8.1 Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15 Catalina, Mac OS X 10.15 Catalina, Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurMaximum roll width Maximum roll width Maximum roll diameter17 cmSustainabilityWi-Fi *✓Sustainability compliance✓Wi-Fi *✓Width1100 mm	Copving			50 - 60 Hz
ScanningIs - 30 °CScanning *XPaper handlingSystem requirementsMaximum print size *A1 (594 x 841 mm) Cut sheet, Glossy paper, Heavy paper, Plain paper, RollWindows operating systems supportedWindows 10, Windows 7, Windows 8, Windows 8.1 Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.4 Song Cos X 10.5 Leopard, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurMaximum roll length Maximum roll diameterBmMaximum roll diameterTr cmWi-Fi *✓Sustainability complianceWi-Fi *✓Width1100 mm			Operational conditions	
Scanning *XSystem requirementsPaper handlingWindows 10, Windows 10, Windows 7, Windows 8, Windows 81,	Copying *	*	Operating temperature (T-T)	15 - 30 °C
Paper handlingWindows operating systems suportedWindows 10, Windows 7, Windows 8, 8, Windows 8.1 Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.5 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurMaximum roll length Maximum roll diameter17 cmSustainabilityPorts & interfaces✓Wi-Fi *✓Wiefit & dimensionsWi-Fi *✓	Scanning		Operating relative humidity (H-H)	10 - 80%
Maximum print size *A1 (594 x 841 mm)supported8, Windows 8.1Paper tray media types *Cut sheet, Glossy paper, Heavy paper, Plain paper, RollMac OS X 10.13 High Sierra, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.15.3 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.3 Panther, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurMedia thickness0.8 mmMaximum roll length18 mMaximum roll width61 cmMaximum roll diameter17 cmPorts & interfacesSustainabilityWi-Fi *✓Wi-Fi *✓Wi-Fi *✓	Scanning *	×	System requirements	
Maximum print size *A1 (594 x 841 mm)Mac OS X 10.13 High Sierra, Mac OS X 10.13Paper tray media types *Cut sheet, Glossy paper, Heavy paper, Plain paper, RollMac OS X 10.13 High Sierra, Mac OS X 10.15 Catalina, Mac OS X 10.15.3ISO A-series sizes (A0A9)A1, A2, A3, A3+Mac operating systems supportedCatalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurMedia thickness0.8 mm10.7 Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurMaximum roll length18 mSustainabilityMaximum roll diameter17 cmSustainability complianceWi-Fi *✓Wieft & dimensionsWi-Fi *✓Wieft & dimensions	Paper handling		1 3 3	
Paper tray media types *Cut sheet, Glossy paper, Heavy paper, Plain paper, RollX 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.9 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurPaper tray media types *Cut sheets * ·Mac operating systems supported ·X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big SurMaximum roll length18 mSustainabilityMaximum roll diameter17 cmSustainability compliance·Wi-Fi *···	Maximum print size *	A1 (594 x 841 mm)	supported	Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15
Borderless printing media sizes A1 Mac operating systems supported OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.5 Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.10 Big Sur Media thickness 0.8 mm 18 m Maximum roll length 18 m Maximum roll width 61 cm Maximum roll diameter 17 cm Ports & interfaces VieFi * WieFi * ✓	Paper tray media types *			
Borderiess printing media sizes A1 Mac operating systems supported Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur Media thickness 0.8 mm 18 m Maximum roll length 18 m Maximum roll width 61 cm Maximum roll diameter 17 cm Ports & interfaces V Wi-Fi * ✓ Wi-Fi * ✓	ISO A-series sizes (A0A9)	A1, A2, A3, A3+		Catalina, Mac OS X 10.2 Jaguar, Mac
Cut sheets * ✓ OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur Maximum roll length 18 m Sustainability Maximum roll diameter 17 cm Sustainability compliance Ports & interfaces Vietpi & dimensions Wi-Fi * ✓ Width	Borderless printing media sizes	Al	Mac operating systems supported	
Maximum roll length 18 m Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur Maximum roll width 61 cm Sustainability Maximum roll diameter 17 cm Sustainability compliance Vi-Fi * ✓ Weight & dimensions	Cut sheets *	1		OS X 10.6 Snow Leopard, Mac OS X
Maximum roll length 18 m OS X 11.0 Big Sur Maximum roll width 61 cm Sustainability Maximum roll diameter 17 cm Sustainability compliance Ports & interfaces Wi-Fi * ✓ Wi-Fi * ✓ Width 1100 mm	Media thickness	0.8 mm		
Maximum roll diameter 17 cm Sustainability Ports & interfaces Sustainability compliance Image: Compliance interface int	5			
Maximum roll diameter I/ cm Ports & interfaces Sustainability compliance Wi-Fi * Weight & dimensions Width 1100 mm			Sustainability	
Wi-Fi* Weight & dimensions Width 1100 mm	Maximum roll diameter	17 cm	-	J
Wi-Fl* V	Ports & interfaces			-
Ethernet LAN * 🖌 Width 1100 mm	Wi-Fi *	1	5	
	Ethernet LAN *	1	Width	1100 mm

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date

Ports & interfaces		Weight & dimensions	
USB port * USB connector Ethernet LAN data rates	✓ ✓ USB Type-A / USB Type-B 10,100,1000 Mbit/s	Depth Height Weight	766 mm 1168 mm 102 kg
Performance		Packaging data	
Product colour * Built-in display * Control type Internal memory Internal storage capacity	Black ✓ Buttons 3000 MB 500 GB	Package width Package depth Package height Package weight	1324mm 902mm 1042mm 125kg
		Logistics data	
		Harmonized System (HS) code	84433210
		Technical details	
		Compliance certificates	CE



4549292188073

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.