

QNAP QGD-3014-16PT-8G verkkokytin Hallittu Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki musta



Tuotemerkki : QNAP

Tuotekoodi: QGD-3014-16PT-8G

Tuotteen nimi : QGD-3014-16PT-8G

QNAP QGD-3014-16PT-8G. Kytin tyyppi: Hallittu. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 14. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 32 Gbit/s. Verkkostandardit: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u,.... Power over Ethernet -tuki. Telineasennus

| Management features | | Design | |
|---|---|--|-----------------------------|
| Switch type * | Managed | Number of fans | 1 fan(s) |
| Quality of Service (QoS) support | ✓ | Electromagnetic compatibility | CLASS A |
| Web-based management | ✓ | Performance | |
| Configuring Location Settings (CLI) | ✓ | Built-in processor | ✓ |
| Ports & interfaces | | Processor manufacturer | Intel |
| Basic switching RJ-45 Ethernet ports quantity * | 14 | Processor model | Intel Celeron J4125 |
| Basic switching RJ-45 Ethernet ports type * | Gigabit Ethernet (10/100/1000) | Processor frequency | 2000 MHz |
| Gigabit Ethernet (copper) ports quantity | 14 | Memory type | DDR4-SDRAM |
| Combo SFP ports quantity | 2 | Internal memory | 8192 MB |
| HDMI stacking ports | 2 | Flash memory | 4000 MB |
| Network | | Power | |
| Networking standards * | IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z | Power source * | AC |
| 10G support * | ✗ | Power supply included * | ✓ |
| Copper ethernet cabling technology | 1000BASE-T | AC input voltage | 100 - 240 V |
| Port mirroring | ✓ | AC input frequency | 50 - 60 Hz |
| Full duplex | ✓ | Power consumption (max) | 250 W |
| Flow control support | ✓ | Power over Ethernet (PoE) | |
| VLAN support | ✓ | Power over Ethernet (PoE) * | ✓ |
| Virtual LAN features | Port-based VLAN | Power over Ethernet plus (PoE+) ports quantity | 16 |
| Optical fiber | | Power over Ethernet (PoE) power per port | 30 W |
| Fiber ethernet cabling technology | 1000BASE-X | Total Power over Ethernet (PoE) budget | 140 W |
| Data transmission | | Other features | |
| Switching capacity * | 32 Gbit/s | I/O ports | 3x USB 3.2 Gen 1, 2x 2.5GbE |
| Throughput | 16 Gbit/s | Operational conditions | |
| MAC address table * | 8000 entries | Operating temperature (T-T) | 0 - 40 °C |
| Jumbo frames support | ✓ | Operating relative humidity (H-H) | 5 - 95% |
| Security | | Weight & dimensions | |
| DHCP features | DHCP client, DHCP server | Width | 295 mm |
| | | Depth | 224.8 mm |
| | | Height | 130 mm |
| | | Weight | 4.08 kg |

| Security | | Packaging content | |
|-----------------------------|--|-----------------------------|---------------------|
| IGMP snooping | ✓ | Cables included | AC, LAN (RJ-45) |
| Security algorithms | 256-bit AES, FIPS 140-2, HTTPS, SSH, SSL/TLS | Quick start guide | ✓ |
| Loop protection | ✓ | Packaging data | |
| Multicast features | | Package weight | 5.34 kg |
| Multicast MAC address table | 8000 entries | Certificates | |
| Design | | Certification | CE, FCC, VCCI, BSMI |
| Rack mounting * | ✓ | Logistics data | |
| Product colour | Black | Harmonized System (HS) code | 85176990 |
| Reset button | ✓ | | |
| LED indicators | Activity, Fault, Link, PoE, Speed | | |



4713213518427

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-FEB-2025. Prints or copies of Information are only valid on the printed Publication date