

D-Link DAP-3712 silta ja toistin Verkkosilta 867 Mbit/s Valkoinen

Tuotemerkki : D-Link

Tuotekoodi: DAP-3712

Tuotteen nimi : DAP-3712

D-Link DAP-3712. Tiedonsiirron enimmäisnopeus: 867 Mbit/s, Suurin siirtoetäisyys: 20000 m. Antennin muotoilu: Ulkoinen, Antennin vahvistustaso (maks.): 23 dBi. Wi-Fi-taajuus: Yksikaistainen (5 GHz), WLAN-tiedonsiirtonopeus (maks.): 867 Mbit/s, Taajuuskaista: 5.180 - 5.825 GHz. Ethernet LAN -käyttöliittymän tyyppi: Gigabit Ethernet, Ethernet LAN -datanopeudet: 100,1000 Mbit/s, Verkkostandardit: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11n. Yhteysteknologia: Langallinen & langaton



Data transmission		Features	
Maximum data transfer rate *	867 Mbit/s	Mounting type	Pole
Maximum transfer distance	20000 m	Product colour	White
Antenna		LED indicators	Signal strength
Antenna design	External	Reset button	✓
Antenna gain level (max)	23 dBi	International Protection (IP) code	IP66
Antennas quantity	1	Surge protection	✓
Wireless LAN features		Power	
Wi-Fi	✓	Power source type	PoE
Wi-Fi band	Single-band (5 GHz)	Power consumption (typical)	15 W
WLAN data transfer rate (max)	867 Mbit/s	Power over Ethernet (PoE)	✓
Frequency band	5.180 - 5.825 GHz	Power over Ethernet (PoE) voltage	48 V
Signal strength	27 dBm	Operational conditions	
Channels quantity	2 channels	Operating temperature (T-T)	-40 - 65 °C
Network		Operating relative humidity (H-H)	0 - 90%
Ethernet LAN	✓	Storage temperature (T-T)	-40 - 85 °C
Ethernet LAN interface type	Gigabit Ethernet	Storage relative humidity (H-H)	0 - 90%
Ethernet LAN data rates	100,1000 Mbit/s	Certificates	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11n	Certification	CE, FCC
Cabling technology	10/100/1000Base-T(X)	Weight & dimensions	
Ports & interfaces		Width	372 mm
Connectivity technology	Wired & Wireless	Depth	241 mm
Ethernet LAN (RJ-45) ports	1	Height	372 mm
Security		Weight	900 g
Security algorithms	128-bit AES	Packaging data	
MAC address filtering	✓	Quantity per pack	1 pc(s)
Management features		Logistics data	
Web-based management	✓	Harmonized System (HS) code	85176990

Features

Product type *	Network bridge
Material	Acrylonitrile butadiene styrene (ABS)



0790069461538



790069461538

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.