

## Epson TM-m50 (132): USB + Ethernet + NES + Serial, Black, PS, EU



**Tuotemerkki :** Epson

**Tuotekoodi:** C31CH94132

**Tuotteen nimi :** TM-m50 (132): USB + Ethernet + NES + Serial, Black, PS, EU

- Tyylikäs muotoilu: Tyylikäs ja huomaamaton malli sopii myymälöihin
- Perinteinen malli: Saumaton integrointi olemassa oleviin järjestelmiin
- Helppokäyttöinen: Erittäin intuitiivinen käyttövalmis ratkaisu
- Liitännät: Sarjaportti ja USB-A
- Nopeus: Jopa 350 mm/s

TM-m50 (132): USB Ethernet NES Serial, Black, PS, EU

Epson TM-m50 (132): USB + Ethernet + NES + Serial, Black, PS, EU. Tulostustekniikka: Suoralämpö, Malli: Maksupäätetulostin, Suurin resoluutio: 180 x 180 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 58 mm - 80 mm (Breite). Yhteysteknologia: Langallinen, USB-liitin: USB Type-A / USB Type-B, Sarjaliitännän tyyppi: RS-232C. Yhteensopivat muistikortit: MicroSD (TransFlash), Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h. Tuotteen väri: Valkoinen

Printing		Power	
Maximum resolution	180 x 180 DPI	Power plug type	Type C
Print speed	350 mm/sec	<b>Operational conditions</b>	
Print speed (receipt)	350 mm/sec	Operating temperature (T-T)	5 - 45 °C
Printing characters	Text, Graphic, Barcode	Storage temperature (T-T)	-20 - 60 °C
Character sets	ANK	Operating relative humidity (H-H)	10 - 90%
Print technology *	Direct thermal	Storage relative humidity (H-H)	10 - 90%
Type *	POS printer	<b>Weight &amp; dimensions</b>	
<b>Paper handling</b>		Width	127 mm
Maximum roll diameter	8.3 cm	Depth	127 mm
Supported paper width	58 mm - 80 mm (Breite)	Height	127 mm
<b>Ports &amp; interfaces</b>		Weight	1.3 kg
USB port *	✓	<b>Packaging data</b>	
USB 2.0 ports quantity	2	Cables included	AC
USB connector	USB Type-A / USB Type-B	Quantity per pack	1 pc(s)
Serial interface *	✓	Package width	195 mm
Serial interface type	RS-232C	Package depth	235 mm
Connectivity technology *	Wired	Package height	230 mm
Near Field Communication (NFC)	✓	Package weight	2.37 kg
<b>Network</b>		<b>Print technology</b>	
Ethernet LAN *	✓	Column capacity	48/57
Wi-Fi *	✗	<b>Logistics data</b>	
<b>Features</b>		Pallet weight (UK)	0 g
Card reader integrated	✓	Harmonized System (HS) code	84433210
Compatible memory cards	MicroSD (TransFlash)	Products per master (outer) case	4 pc(s)
Sound pressure level (printing)	55 dB	Master (outer) case width	400 mm
Mean time between failures (MTBF)	360000 h	Master (outer) case length	490 mm
Cutter	✓	Master (outer) case height	255 mm
Half-cutter	✓	Master (outer) case gross weight	0 g
Autocutter durability	2.2 million cuts	Products per pallet	128 pc(s)
Tablet charge & sync	✗	Pallet gross weight	0 g
Print head life	200 km	Products per pallet (UK)	192 pc(s)
Country of origin	China	<b>Technical details</b>	
Mounting position	Horizontal/Vertical	Font styles	ANK
Wall mountable	✓	Lifetime	20000000 lines
Built-in sensors details	Paper End Sensor, Papier-Sensor		

Design		Other features	
Product colour *	White	Buffer size	12 KB
Power		Mean cycles between failures (MCBF)	70000000
Power source type *	AC	Print head life	200.000.000 Impulse



8715946685441

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-FEB-2025. Prints or copies of Information are only valid on the printed Publication date