

Epson TM-H6000V-213P0: P-USB, MICR, White

Tuotemerkki : Epson

Tuotekoodi: C31CG62213P0

Tuotteen nimi : TM-H6000V-213P0: P-USB, MICR, White

- Integroitu POS-tulostin: Kuittitulostus, lipuketulostus ja sekkien käsittely
- Parantaa tehokkuutta: Tulostusnopeus jopa 350 mm/s¹, sekkien käsittely ja automaattinen leikkuri
- Joustavat liitännät: Sisäänrakennettu USB- ja Ethernet-liitäntä kaikissa malleissa
- Investointi tulevaisuuteen: ePOS-Print-tulostus, ePOS-Display-näyttö ja NFC
- Paljon vastinetta rahoille: Edulliset elinkaarikustannukset

TM-H6000V-213P0: P-USB, MICR, White

Epson TM-H6000V-213P0: P-USB, MICR, White. Tulostustekniikka: Thermal, Malli: Maksupäätetulostin, Suurin resoluutio: 180 x 180 DPI. Suurin rullan halkaisija: 8,3 cm, Tulostuksen enimmäisleveys: 8 cm, Suurin materiaalin pituus: 29,7 cm. Yhteysteknologia: Langallinen & langaton, USB-liitin: USB A-tyyppi, Vakio-liitännät: Ethernet, NFC, USB, USB 1.1, USB 2.0. Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h, Automaattisen leikkaajan kestävyys: 3 miljoonaa leikkausta. Tuotteen väri: Valkoinen



Printing		Power	
Maximum resolution	180 x 180 DPI	Power source type *	AC, USB
Print speed	5.7 lps	AC input voltage	24 V
Print speed	350 mm/sec	Operational conditions	
Character size	1.41 x 3.39 mm	Operating temperature (T-T)	5 - 45 °C
Character density	17.8 cpi	Storage temperature (T-T)	-10 - 50 °C
Character sets	ANK	Operating relative humidity (H-H)	10 - 90%
Print technology *	Thermal	Storage relative humidity (H-H)	10 - 90%
Type *	POS printer	Weight & dimensions	
Paper handling		Width	186 mm
Maximum roll diameter	8.3 cm	Depth	278 mm
Maximum printing width	8 cm	Height	181 mm
Maximum media length	29.7 cm	Weight	4.4 kg
Ports & interfaces		Packaging data	
USB port *	✓	Quantity per pack	1 pc(s)
USB connector	USB Type-A	Package width	294 mm
Connectivity technology *	Wired & Wireless	Package depth	382 mm
Near Field Communication (NFC)	✓	Package height	292 mm
Standard interfaces	Ethernet, NFC, USB, USB 1.1, USB 2.0	Package weight	5.6 kg
Network		Packaging content	
Ethernet LAN *	✓	Quick start guide	✓
Features		Logistics data	
Sound pressure level (printing)	55 dB	Pallet weight (UK)	0 g
Mean time between failures (MTBF)	360000 h	Harmonized System (HS) code	84433210
Cutter	✓	Products per pallet	56 pc(s)
Autocutter durability	3 million cuts	Pallet gross weight	0 g
Print head life	200 km	Products per pallet (UK)	70 pc(s)
Country of origin	China	Other features	
Ribbon life	4 million characters	Buffer size	4 KB
Design			
Product colour *	White		

Other features

Electromagnetic compatibility	CE marking, EN55024, EN55032 Class A, IEC61000-4-2, IEC61000-4-3, IEC61000-4-4, IEC61000-4-5, IEC61000-4-6, IEC61000-4-11, Directive 2014/30/EU
Mean cycles between failures (MCBF)	96000000
Print head life	20 million characters



8715946670072

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-FEB-2025. Prints or copies of Information are only valid on the printed Publication date