## îiyama

## iiyama ProLite TF1634MC-B8X tietokoneen litteä näyttö 39,6 cm (15.6") 1920 x 1080 pikseliä Full HD LED Kosketusnäyttö Monikäyttäjä musta

Tuotemerkki: iiyama Tuoteperhe: ProLite Tuotekoodi: TF1634MC-B8X

Tuotteen nimi: TF1634MC-

B8X

iiyama ProLite TF1634MC-B8X. Näytön halkaisija: 39,6 cm (15.6"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 25 ms, Vakiokuvasuhde: 16:9. VESA-kiinnitys. Tuotteen väri: musta





Display		Ports & interfaces	
Display resolution *	39.6 cm (15.6") 1920 x 1080 pixels	HDCP	✓
		Ergonomics	
HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Touchscreen type Touchscreen technology Touch technology Number of simultaneous touchpoints Display brightness Response time * Response time measurement type Screen shape * Contrast ratio (typical) * Display number of colours * Pixel pitch Horizontal scan range Display diagonal (metric)	Full HD  16:9  LED  IPS  Multi-user  Projected capacitive system  Multi-touch  10  450 cd/m²  25 ms  GTG (Gray to Gray)  Flat  700:1  16.2 million colours  0.179 x 0.179 mm  30 - 84 kHz	VESA mounting * Panel mounting interface Wall mountable On Screen Display (OSD) Number of OSD languages  Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) European Product Registry for Energy Labelling (EPREL) code  Weight & dimensions  Width (without stand) Depth (without stand)	F 12 kWh 18 W 1.5 W 0.3 W 391713
Surface hardness	7H	Height (without stand)	230.5 mm
Performance		Weight (without stand)	2 kg
NVIDIA G-SYNC *	x	Packaging data	
AMD FreeSync *	x	Package width	455 mm 290 mm
Multimedia		Package depth Package height	365 mm
Built-in microphone	×	Package weight	6.6 kg
Built-in camera *	x	Packaging content	
		Cables included	AC, DisplayPort, HDMI, USB

Design		Sustainability	
Product colour *	Black	Sustainability certificates	ErP
Glass thickness	2.4 mm	Other features	
Ports & interfaces		International Protection (IP) code	IP65
USB Touch port	✓	Display viewable area (HxV)	344.2 x 193.5 mm
VGA (D-Sub) ports quantity	1	Placement supported	Horizontal/Vertical
HDMI *	<b>✓</b>	Compliance certificates	CE, REACH, RoHS, WEEE
HDMI ports quantity	1	Logistics data	
DisplayPorts quantity	1	Harmonized System (HS) code	85285210



4948570118342

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.