îiyama

iiyama ProLite TF1634MC-B8X tietokoneen litteä näyttö 39,6 cm (15.6") 1920 x 1080 pikseliä Full HD LED Kosketusnäyttö Monikäyttäjä musta

Tuotemerkki: iiyama Tuoteperhe: ProLite Tuotekoodi: TF1634MC-B8X

Tuotteen nimi: TF1634MC-

B8X

iiyama ProLite TF1634MC-B8X. Näytön halkaisija: 39,6 cm (15.6"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 25 ms, Vakiokuvasuhde: 16:9. VESA-kiinnitys. Tuotteen väri: musta





Display		Ports & interfaces	
Display resolution * 192	39.6 cm (15.6") 1920 x 1080 pixels	HDCP	✓
		Ergonomics	
HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Touchscreen type Touchscreen technology Touch technology Number of simultaneous touchpoints Display brightness Response time * Response time measurement type Screen shape * Contrast ratio (typical) *	Full HD 16:9 LED IPS ✓ Multi-user Projected capacitive system Multi-touch 10 450 cd/m² 25 ms GTG (Gray to Gray) Flat 700:1 16.2 million colours	VESA mounting * Panel mounting interface Wall mountable On Screen Display (OSD) Number of OSD languages Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) European Product Registry for Energy Labelling (EPREL) code	F 12 kWh 18 W 1.5 W 0.3 W 391713
Display number of colours * Pixel pitch	0.179 x 0.179 mm	Weight & dimensions	
Horizontal scan range Display diagonal (metric) Surface hardness	0.179 x 0.179 mm 30 - 84 kHz 39.5 cm 7H	Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	381 mm 46 mm 230.5 mm 2 kg
Performance		Packaging data	2 Ng
NVIDIA G-SYNC * AMD FreeSync * Multimedia Built-in microphone	x x	Package width Package depth Package height Package weight	455 mm 290 mm 365 mm 6.6 kg
Built-in camera *	×	Packaging content Cables included	AC, DisplayPort, HDMI, USB

Design		Sustainability	
Product colour *	Black	Sustainability certificates	ErP
Glass thickness	2.4 mm	Other features	
Ports & interfaces		International Protection (IP) code	IP65
USB Touch port	✓	Display viewable area (HxV)	344.2 x 193.5 mm
VGA (D-Sub) ports quantity	1	Placement supported	Horizontal/Vertical
HDMI *	✓	Compliance certificates	CE, REACH, RoHS, WEEE
HDMI ports quantity	1	Logistics data	
DisplayPorts quantity	1	Harmonized System (HS) code	85285210



4948570118342

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.