iiyama

iiyama ProLite TF2738MSC-B2 tietokoneen litteä näyttö 68,6 cm (27") 1920 x 1080 pikseliä Full HD LED Kosketusnäyttö Monikäyttäjä musta

Tuotemerkki : iiyama   **Tuoteperhe:** ProLite   **Tuotekoodi:** TF2738MSC-B2

Tuotteen nimi : TF2738MSC-B2

iiyama ProLite TF2738MSC-B2. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LED, Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Tuotteen väri: musta

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✔
Touchscreen type	Multi-user
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness	500 cd/m²
Response time *	5 ms
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Contrast ratio (dynamic)	12000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.78 million colours
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	30 - 80 kHz
Display diagonal (metric)	68.6 cm
Surface hardness	6H

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘

Multimedia

Number of speakers	2
RMS rated power	6 W
Built-in speaker(s) *	✔

Design

Product colour *	Black
Glass thickness	3.6 mm

Ergonomics

On Screen Display (OSD)	✔
On Screen Display (OSD) languages	German, Dutch, English, French, Japanese, Polish, Russian
Number of OSD languages	8

Power

Energy efficiency class (SDR) *	F
Energy consumption (SDR) per 1000 hours *	24 kWh
Power consumption (typical) *	25 W
Power consumption (standby) *	1.5 W
Power consumption (off)	0.3 W
AC input voltage	100-240 V
AC input frequency	50 Hz
Power supply type	AC
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	426849

Weight & dimensions

Width (without stand)	648.5 mm
Depth (without stand)	52 mm
Height (without stand)	386.5 mm
Weight (without stand)	8.3 kg

Packaging data

Package width	746 mm
Package depth	123 mm
Package height	500 mm
Package weight	9.4 kg

Packaging content

Cables included	AC, DisplayPort, DisplayPort to Mini DisplayPort, HDMI, USB

Sustainability

Sustainability certificates	ErP

Other features

International Protection (IP) code	IP1X

Ports & interfaces

DVI port	✔
HDMI *	✔
HDMI ports quantity	1
DisplayPorts quantity	1
HDCP	✔

Ergonomics

Panel mounting interface	100 x 100,200 x 100 mm
Wall mountable	✔

Other features

Display viewable area (HxV)	597.6 x 336.2 mm
Placement supported	Horizontal/Vertical
Bezel width	2.4 cm
Compliance certificates	CE, REACH, RoHS
Certification	CE, TÜV-Bauart, EAC, RoHS, ErP, WEEE, REACH, UKCA

Logistics data

Harmonized System (HS) code	85285210

4948570118199