

Epson SureColor SC-T5200 MFP HDD



Brand : Epson

Product family: SureColor

Product code: C11CD67301A2

Product name : SureColor SC-T5200 MFP HDD

- Fast processing: High-speed scanning and printing of graphics, CAD and GIS applications
- Integrated 36-inch scanner: Digitise hand-drawn, hand-annotated and hard-copy images
- PrecisionCore TFP printhead: Permanent printheads for duration of printer lifetime
- UltraChrome XD inks: Produce quality, vibrant, smudge- and water-resistant images
- 320GB hard drive: Hard drive for storing scans and extra buffering space

SureColor SC-T5200 MFP HDD

Epson SureColor SC-T5200 MFP HDD. Print technology: Inkjet, Maximum resolution: 2880 x 1440 DPI, Page description languages: HP-RTL, HP-GL/2, ESC/P-R, PostScript 3. Optical scanning resolution: 600 x 600 DPI, Scan technology: CIS, Sensor type: CIS. Maximum print size: A0 (841 x 1189 mm), Paper tray media types: Thick paper, ISO A-series sizes (A0...A9): A0, A1, A2, A3, A3+, A4. Ethernet interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Grey, White, Display: LCD, Display diagonal: 6.86 cm (2.7")

Printing		Performance	
Print head nozzles	720 nozzles black, 720 nozzles per colour	Sound pressure level (printing)	50 dB
Print technology *	Inkjet	Country of origin	China
Colour *	✓	Power	
Maximum resolution *	2880 x 1440 DPI	Power consumption (standby)	3 W
Page description languages *	HP-RTL, HP-GL/2, ESC/P-R, PostScript 3	Power consumption (typical)	60 W
Printing colours *	Pigment photo black, Pigment matte black, Pigment cyan, Pigment yellow, Pigment magenta	Power consumption (off)	0.5 W
Borderless printing	✓	AC input voltage	100-240 V
Scanning		AC input frequency	50 - 60 Hz
Optical scanning resolution	600 x 600 DPI	System requirements	
Scan technology	CIS	Compatible operating systems	Mac OS 10.5.8 oder höher, Windows 10, Windows 7, Windows 7, 64-Bit-Version, Windows 8 (32/64 Bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64 Bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista, 64-Bit-Version, Windows XP, Windows XP, 64-Bit-Version
Sensor type	CIS	Windows operating systems supported	✓
Accuracy	0.1%	Mac operating systems supported	✓
Maximum scan length	30.5 m	Weight & dimensions	
Maximum scan width	91.4 cm	Width	1539 mm
Paper handling		Depth	912 mm
Maximum print size *	A0 (841 x 1189 mm)	Height	1647 mm
Paper tray media types *	Thick paper	Weight	138 kg
ISO A-series sizes (A0...A9)	A0, A1, A2, A3, A3+, A4	Packaging data	
ISO B-series sizes (B0...B9)	B2, B3, B4	Package width	780 mm
Cut sheets *	✓	Package depth	1710 mm
Media thickness	0.08 - 1.5 mm	Package height	1730 mm
Maximum roll width	91.4 cm	Package weight	204 kg
Print margin cut-sheet	3 x 3 x 14 x 3	Cartridge(s) included	✓
Maximum media width	38" (153mm to 965.2mm)	Drivers included	✓
Roll top margin	3 mm	Manual	✓
Borderless printing width	10, 11.81, 12.95, 15.98, 17.01, 20.28, 23.39, 24.02, 28.66, 33.11, 35.98"	Quick start guide	✓
Roll paper	✓	Ports & interfaces	
Wi-Fi *	✗	Ethernet interface type	Gigabit Ethernet
Ethernet interface type	Gigabit Ethernet	Ethernet LAN *	✓
Ethernet LAN *	✓	USB port *	✗
USB port *	✗		

Ports & interfaces		Other features	
Ethernet LAN data rates	10,100,1000 Mbit/s	Ink drop	3.5
RJ-45 ports quantity	1	Logistics data	
Performance		Products per pallet	1 pc(s)
Product colour *	Grey, White	Pallet gross weight	0 g
Built-in display *	✓	Quantity per pack	1 pc(s)
Display	LCD	Products per pallet (UK)	1 pc(s)
Colour display	✓	Pallet weight (UK)	0 g
Display diagonal	6.86 cm (2.7")	Harmonized System (HS) code	84433210
Internal memory	1024 MB		
Sound pressure level (standby)	31 dB		
Sound power level (standby)	31 dB		



8715946621395

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-MAR-2025. Prints or copies of Information are only valid on the printed Publication date