

## iiyama ProLite XUB2792UHSU-B1 LED display 68,6 cm (27") 3840 x 2160 pikseliä 4K Ultra HD musta



**Tuotemerkki :** iiyama

**Tuoteperhe:** ProLite

**Tuotekoodi:** XUB2792UHSU-B1

**Tuotteen nimi :**  
XUB2792UHSU-B1

iiyama ProLite XUB2792UHSU-B1. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta

Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot *	✓
Display resolution *	3840 x 2160 pixels	Cable lock slot type	Kensington
HD type *	4K Ultra HD	Height adjustment *	✓
Native aspect ratio *	16:9	Height adjustment	13 cm
Display technology *	LED	Pivot	✓
Panel type *	IPS	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	300 cd/m <sup>2</sup>	Swivel angle range	-45 - 45°
Response time *	4 ms	Tilt adjustment	✓
Display surface	Matt	Tilt angle range	-5 - 22°
Screen shape *	Flat	Number of OSD languages	10
Supported graphics resolutions	3840 x 2160	Power	
Contrast ratio (typical) *	1000:1	Energy efficiency class (SDR) *	G
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours *	32 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	35 W
Display number of colours *	1.073 billion colours	Power consumption (standby) *	0.5 W
Horizontal scan range	31 - 90 kHz	AC input voltage	100 - 240 V
Vertical scan range	55 - 75 Hz	AC input frequency	50 - 60 Hz
Viewable size, horizontal	59.6 cm	Energy efficiency scale	A to G
Viewable size, vertical	33.5 cm	European Product Registry for Energy Labelling (EPREL) code	360659
Viewable size diagonal	68 cm	Weight & dimensions	
3D	✗	Width (with stand)	614 mm
Performance		Depth (with stand)	230 mm
NVIDIA G-SYNC *	✗	Height (with stand)	397.5 mm
AMD FreeSync *	✗	Weight (with stand)	6.4 kg
Flicker-free technology	✓	Packaging data	
Multimedia		USB cable length	1.5 m
Number of speakers	2	Packaging content	
Built-in speaker(s) *	✓	Cables included	AC, DisplayPort, HDMI, USB
Built-in camera *	✗	Quick start guide	✓
Design		DisplayPort cable length	1.8 m
Market positioning *	Graphics design	HDMI cable length	1.5 m
Product colour *	Black	Power cable length	1.5 m
Front bezel colour	Black	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR
Built-in USB hub *	✓		
USB hub version	3.2 Gen 1 (3.1 Gen 1)		
Number of upstream ports	2		

Ports & interfaces		Other features	
DVI port	✓	On/off switch	✓
HDMI ports quantity	1	Rotating	✓
DisplayPorts quantity	1	TV tuner integrated	✗
Headphone out *	✓	Picture-by-Picture (PbP)	✓
HDCP	✓	Compliance certificates	REACH
<b>Ergonomics</b>		Certification	TCO, CE, TÜV-GS, VCCI-B, PSE, CU
VESA mounting *	✓	<b>Logistics data</b>	
Panel mounting interface	100 x 100 mm	Harmonized System (HS) code	85285210



4948570116638

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date