



BenQ InstaShow WDC10 langaton esitysjärjestelmä HDMI + USB Type-A Työpöytä

Tuotemerkki : BenQ

Tuotekoodi: 9H.JF878.N4E

Tuotteen nimi : InstaShow WDC10

BenQ InstaShow WDC10. Kotelo: Työpöytä, Tuotteen väri: musta. Suurin resoluutio (HDMI): 1920 x 1080 pikseliä, Tuetut grafiikan erottelutarkkuudet: 800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1400 x..., Tuetut videomoodit: 720p, 1080p. Antennityyppi: Ulkoinen, Antennin vahvistustaso (maks.): 2 dBi. Wi-Fi-standardit: 802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Langattoman LAN:in datansiirtonopeus (maksimi): 867 Mbit/s, Wi-Fi-standardi: Wi-Fi 5 (802.11ac). Käyttöliittymä: HDMI + USB Type-A



Design		Ports & interfaces	
Form factor *	Desktop	Interface *	HDMI + USB Type-A
Product colour	Black	Number of HDMI outputs	1
LED indicators	✓	HDMI version	1.4
Features		Ethernet LAN (RJ-45) ports	1
Maximum resolution (HDMI)	1920 x 1080 pixels	DC-in jack	✓
Supported graphics resolutions	800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Power	
Supported video modes	720p, 1080p	Power source type *	DC
Streaming capability	✓	Output voltage	5 V
Maximum frame rate	60 fps	Input current	1.5 A
Number of simultaneously connected devices (max)	16	Output current	0.9 A
Security updates end date	31/12/2024	Power consumption (max)	5 W
Antenna		Power consumption (standby)	2 W
Antenna type	External	System requirements	
Antenna gain level (max)	2 dBi	Windows operating systems supported	✓
Antennas quantity	2	Mac compatibility	✓
Network		Operational conditions	
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Operating temperature (T-T)	0 - 40 °C
Wi-Fi data rate (max)	867 Mbit/s	Operating relative humidity (H-H)	10 - 80%
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)	Storage temperature (T-T)	-10 - 60 °C
Frequency band	5 GHz	Storage relative humidity (H-H)	5 - 90%
Ethernet LAN	✓	Packaging content	
Ethernet LAN data rates	10,100 Mbit/s	AC adapter included	✓
		Cables included	HDMI, USB
		Quick start guide	✓

Network

Cabling technology	10/100Base-T(X)
Security algorithms	128-bit AES, WPA2, WPA2-PSK
Maximum operating distance	8 m

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------



0840046039004



840046039004

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-MAR-2025. Prints or copies of Information are only valid on the printed Publication date