

Epson TM-T88VII 180 x 180 DPI Wired & Wireless Thermal POS printer

Brand : Epson

Product code: C31CJ57152

Product name : TM-T88VII

- Reliable hardware
 - High performance
 - Reduced environmental impacts
- 52 dB (A), Black

Epson TM-T88VII. Print technology: Thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI. Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm, Media thickness: 48 - 80 mm. Connectivity technology: Wired & Wireless, USB connector: USB Type-A / USB Type-B, Optional connectivity: Wireless LAN. Sound pressure level (printing): 52 dB, Sound pressure level (standby): 52 dB, Mean time between failures (MTBF): 360000 h. Product colour: Black



Printing		Power	
Maximum resolution	180 x 180 DPI	Power consumption (printing)	28.6 W
Print speed	500 mm/sec	AC input voltage	24 V
Character size	1.41 x 3.39 mm	Power consumption	28600 mA
Printing characters	Text, Graphic, Barcode, 2D barcode	Power consumption (standby)	1400 mA
Character sets	ANK	Power consumption (standby)	1.4 W
Print technology *	Thermal	Operational conditions	
Type *	POS printer	Operating temperature (T-T)	5 - 45 °C
Paper handling		Storage temperature (T-T)	-10 - 50 °C
Maximum roll diameter	8.3 cm	Operating relative humidity (H-H)	10 - 90%
Supported paper width	80 mm	Storage relative humidity (H-H)	10 - 90%
Media thickness	48 - 80 mm	System requirements	
Ports & interfaces		Pre-installed software	Server Direct Print, ePOS-Device, ePOS-Display, ePOS-Print
USB port *	✓	Weight & dimensions	
USB connector	USB Type-A / USB Type-B	Width	145 mm
Connectivity technology *	Wired & Wireless	Depth	195 mm
Near Field Communication (NFC)	✓	Height	148 mm
Optional connectivity	Wireless LAN	Weight	1.7 kg
Network		Packaging data	
Ethernet LAN *	✓	Quantity per pack	1 pc(s)
Features		Package width	195 mm
Sound pressure level (printing)	52 dB	Package depth	235 mm
Sound pressure level (standby)	52 dB	Package height	260 mm
Mean time between failures (MTBF)	360000 h	Package weight	2.7 kg
Autocutter durability	3 million cuts	Print technology	
Paper save function	✓	Column capacity	42/56
Print head life	200 km		

Features		Logistics data	
Country of origin	Philippines	Pallet weight (UK)	0 g
Mounting position	Horizontal/Vertical	Harmonized System (HS) code	84433210
Wall mountable	✓	Products per pallet	112 pc(s)
Built-in sensors details	Paper End Sensor, Paper Near End	Pallet gross weight	0 g
	Sensor, Cover Open Sensor, Receipt paper sensor	Products per pallet (UK)	168 pc(s)
Certification	CE	Technical details	
Design		Lifetime	20000000 lines
Product colour *	Black	Other features	
		Buffer size	4 KB
		Mean cycles between failures (MCBF)	70000000



8715946697192

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-JAN-2025. Prints or copies of Information are only valid on the printed Publication date