

QNAP TS-h1290FX NAS Tower EPYC 7302P 128 GB DDR4 0 TB QuTS hero musta

Tuotemerkki : QNAP

Tuotekoodi: TS-H1290FX-7302P-128G

Tuotteen nimi : TS-h1290FX

QNAP TS-h1290FX. Malli: NAS. Alustatyyppi: Tower. Laitteen luokka: Pienet & Keskikokoiset Yritykset. Suoritinperhe: EPYC, Prosessorimalli: 7302P, Prosessorin taajuus: 3 GHz. Sisäinen muisti: 128 GB, Sisäisen muistin tyyppi: DDR4. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QuTS hero



Storage		Design	
Storage drive capacity *	0 GB	Cooling type *	Active
Supported storage drive interfaces	Serial ATA III, U.2	Product colour	Black
Storage drive sizes supported	2.5"	Number of fans	2 fan(s)
RAID support *	✓	Fan diameter	9.2 cm
Hot-swap drive bays	✓	LED indicators	LAN, Power, SSD, Status, USB
Storage drives installed *	✗	Built-in display	✓
Total installed storage capacity *	0 TB	Display type	LCD
Number of storage drives supported *	12	Cable lock slot	✓
Installed storage drive type *	✗	Cable lock slot type	Kensington
Supported storage drive types *	HDD & SSD	Performance	
Processor		Type *	NAS
Processor manufacturer *	AMD	Device class *	Small & Medium Business
Processor family *	EPYC	Backup function *	✓
Processor model *	7302P	Backup features	Cloud, USB drive
Processor frequency *	3 GHz	Buzzer	✓
Processor boost frequency	3.3 GHz	Noise level	3.1 dB
Processor cores	16	Snapshot	✓
Processor threads	32	Security algorithms	AES
L3 cache	128 MB	Reset button	✓
Memory		On/off switch	✓
Internal memory *	128 GB	USB copy function	✓
Internal memory type	DDR4	Software	
Maximum RAM supported	1 TB	Operating system installed *	QuTS hero
Memory slots	8	Power	
Memory form factor	RDIMM	Power supply location	Built-in
ECC	✓	Power supply unit (PSU) capacity	750 W
Flash memory	5000 MB	AC input voltage	100 - 240 V
Network		Fan voltage	12 V
Ethernet LAN *	✓	Weight & dimensions	
Ethernet LAN data rates	10,100,1000,2500,25000 Mbit/s	Width *	368 mm
Jumbo frames support	✓	Depth *	362 mm
Wake-on-LAN ready	✓	Height *	150 mm
		Weight	8.99 kg

Ports & interfaces	
USB port *	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
Fiber ports quantity	2
Fiber optic connector	SFP28
Ethernet LAN (RJ-45) ports *	2
Concurrent connections	10000
PCI Express x8 (Gen 4.x) slots	1
PCI Express x16 (Gen 4.x) slots	3
Design	
Chassis type *	Tower

Packaging content	
Cables included	AC, LAN (RJ-45)
Power cables quantity	1
Quick installation guide	✓
Number of screws	48
Drive tray key included	✓
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	5 - 95%
Storage temperature (T-T)	-20 - 70 °C
Storage relative humidity (H-H)	5 - 95%
Logistics data	
Harmonized System (HS) code	84714100
Other features	
Fibre Channel	✓



4711103080528

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date