



**MSI MAG CORELIQUID 240R V2 Liquid CPU Cooler '240mm Radiator, 2x 120mm ARGB PWM Fan, ARGB lighting, Center Supported, Compatible with Intel and AMD Platforms, Latest LGA 1700 ready'**



**Brand :** MSI

**Product code:** MAG CORELIQUID 240R V2

**Product name :** MSI MAG CORELIQUID 240R V2 Liquid CPU Cooler '240mm Radiator, 2x 120mm ARGB PWM Fan, ARGB lighting, MSI Center Supported, Compatible with Intel and AMD Platforms, Latest LGA 1700 ready'

- Mount the cold plate at any orientation, turn the water blockhead up to 270 degrees
  - The pump has been integrated into the radiator for sound dampening and noise reduction
  - Constructed with three layers of netted plastic tubing and a reinforced mesh exterior
  - A split liquid pathway through the radiator rapidly dissipates heat. Cooled liquid is then pumped back into the loop
  - Compatible Sockets & CPU: Intel Socket LGA 1150, 1151, 1155, 1156, LGA1200, 1700, LGA1366, LGA2011, LGA2011-3, LGA2066 / AMD Socket AM4, FM2+, FM2, FM1, AM3+, AM3, AM2+, AM2
- MSI MAG CORELIQUID 240R V2 Liquid CPU Cooler '240mm Radiator, 2x 120mm ARGB PWM Fan, ARGB lighting, MSI Center Supported, Compatible with Intel and AMD Platforms, Latest LGA 1700 ready'

Performance		Design	
Suitable location *	Computer case	Illumination LED	✓
Type *	Cooler	Illumination colour	Blue, Green, Red
Fan diameter	12 cm	Fan connector	4-pin
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1200 (Socket H5), LGA 1366 (Socket B), LGA 1700, LGA 2011 (Socket R), LGA 2011-v3 (Socket R), LGA 2066, Socket AM2, Socket AM2+, Socket AM3, Socket AM3+, Socket AM4, Socket FM1, Socket FM2, Socket FM2+	Power	
		Power consumption (typical)	5.88 W
		Rated voltage	12 V
		Weight & dimensions	
		Width	80.6 mm
		Radiator width	27.4 cm
		Radiator depth	12 cm
		Radiator height	2.7 cm
		Depth	66.8 mm
		Height	48.6 mm
		Fan dimensions (W x D x H)	120 x 120 x 25 mm
Rotational speed (min)	500 RPM	Other features	
Rotational speed (max)	2000 RPM	Country of origin	China
Noise level (low speed)	14.3 dB	Logistics data	
Noise level (high speed)	34.3 dB	Harmonized System (HS) code	84733080
Minimum airflow (imperial)	21.63 cfm		
Maximum airflow	78.73 cfm		
Bearing type	Dual ball bearing		
Pump motor speed	4200 RPM		
Fan speed (min)	500 RPM		
Fan speed (max)	2000 RPM		
Design			
Product colour *	Black		
Radiator material	Aluminum		
Number of fans	2 fan(s)		



4526541039072

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date