



## Dock & Lightning Cables (MFi certified)

P/N Description

- 11760 LMP Lightning to USB cable, MFi, 0.5 m  
EAN 7640113430979
- 11300 LMP Lightning to USB cable, MFi, 1 m  
EAN 7640113430900
- 11765 LMP Lightning to USB cable, MFi, 2 m  
EAN 7640113430986



### Information

The LMP Lightning cable is a high quality MFi certified charge and sync cable. With this USB 2.0 cable you can connect your iPod, iPhone, or iPad to your computer's USB port for efficient syncing and charging. White color, 0.5 m, 1 m or 2 m.

- 12049 LMP Dock Connector to USB cable, MFi, 0.5 m  
EAN 7640113431037
- 11305 LMP Dock Connector to USB cable, MFi, 1 m  
EAN 7640113430917
- 12053 LMP Dock Connector to USB cable, MFi, 2 m  
EAN 7640113431044



The LMP 30-pin Dock cable is a high quality MFi certified charge and sync cable. With this USB 2.0 cable you can connect your iPod, iPhone, or iPad to your computer's USB port for efficient syncing and charging. White color, 0.5 m, 1 m or 2 m.

- 12637 LMP 3-in-1 USB charge & sync cable, MFi, 1 m  
EAN 7640113431082



The LMP 3-in-1 USB charge & sync cable offers you every connection you will ever need to charge or synchronize your iOS device. And with its micro USB connection you can even charge many of your non-Apple accessories. White color, 1 m.

## USB-C Adapters & Cables

- 13750 LMP USB-C to HDMI adapter  
EAN 7640113431600



USB-C (using the USB 3.1 bus) to HDMI (1.4) adapter to connect external monitors, projectors, TVs, etc. Transmits video and audio signal with flexible support for USB 5G and DisplayPort 1.2 (DP Altmode). Resolutions: 3840x2160 (UHD) / 2048x1152 (QWXGA) / 1920x1200 (WUXGA) / 1920x1080 (FHD), etc. Aluminium housing, white color, bus powered.

- 13877 LMP USB-C to DVI adapter  
EAN 7640113431624



USB-C (using the USB 3.1 bus) to DVI (DVI-D single link) adapter to connect external monitors, projectors, TVs, etc. Transmits video and audio signal with flexible support for USB 5G and DisplayPort 1.2 (DP Altmode). Resolutions: 1920x1080 (FHD) / 1600x1200 (UXGA) / 1280x1024 (SXGA), etc. Aluminium housing, white color, bus powered.

- 13748 LMP USB-C to VGA adapter  
EAN 7640113431594



USB-C (using the USB 3.1 bus) to VGA adapter to connect external monitors, projectors, TVs, etc. Transmits video signal with flexible support for USB 5G and DisplayPort 1.2 (DP Altmode). Resolutions: 2048x1152 (QWXGA) / 1920x1200 (WUXGA) / 1920x1080 (FHD) / 1600x1200 (UXGA) / 1280x1024 (SXGA), etc. Aluminium housing, white color, bus powered.

- 13867 LMP USB-C (m) to Gigabit Ethernet (f) adapter  
EAN 7640113431549



USB-C (using the USB 3.1 bus) to Gigabit Ethernet (10/100/1000). Supports plug and play (no driver required), 10/100/1000 Mbps auto-detection, wake-on-LAN. Plastic housing, white color, bus powered.

- 13866 LMP USB-C (m) to USB A (f) adapter  
EAN 7640113431556



USB-C (using the USB 3.1 bus) to USB A female (USB 3.0, 2.0, 1.1). Connect your devices and peripherals to a computer with USB-C port. Delivers 3A max. power to attached devices with 5 Gbps max. transfer rate. Plastic housing, white color, bus powered.

- 13868 LMP USB-C (m) to USB 3.0 micro-USB (m) cable  
EAN 7640113431525



Connects devices such as your external HDD with micro USB 3.0 port to your computer with USB-C port. Delivers 3A max. power to attached devices with 5 Gbps max. transfer rate.

- 13869 LMP USB-C (m) to USB-C (m) cable  
EAN 7640113431518



Connects devices such as external HDD with USB-C port to your computer with USB-C port. Can be used as charging cable with Apple 29W power supply. Delivers 3A max. power to attached devices with 10 Gbps max. transfer rate.

- 13870 LMP USB-C (m) to micro-USB 2.0 (m) cable  
EAN 7640113431501



Connects devices such as your smart phone with micro USB 2.0 port to your computer with USB-C port. Delivers 3A max. power to attached devices with 480 Mbps max. transfer rate.

- 13865 LMP USB-C (m) to USB (f) Adapter  
EAN 7640113431532



Connects a USB cable (USB 3.0, 2.0, 1.1) to your computer with USB-C port. Delivers 3A max. power to attached devices with 5 Gbps max. transfer rate.

# Mini-DisplayPort, Mini-DVI & HDMI – Adapters & Cables

P/N	Description		Information
7672	<b>LMP Mini-DisplayPort to DVI adapter</b> EAN 7640113430146		Mini-DisplayPort (1.1a)/ Thunderbolt Port to DVI (Single Link). Connects external monitors, projectors, TVs, etc. Transmits video and audio signal. Aluminum housing, white color, bus powered.
7673	<b>LMP Mini-DisplayPort to VGA adapter</b> EAN 7640113430153		Mini-DisplayPort (1.1a)/ Thunderbolt Port to VGA. Connects external monitors, projectors, TVs, etc. Transmits video signal. Aluminum housing, white color, bus powered.
8550	<b>LMP Mini-DisplayPort to HDMI adapter</b> EAN 7640113430351		Mini-DisplayPort (1.1a)/ Thunderbolt Port to HDMI (1.3). Connects external monitors, projectors, TVs, etc. Transmits video and audio signal. Aluminum housing, white color, bus powered.
11892	<b>LMP Mini-DisplayPort to HDMI adapter (4K)</b> EAN 7640113431013		Mini-DisplayPort (1.2) to HDMI (1.4) adapter. Connects external Monitors, projectors, TVs, etc. with up to 4K resolution. Transmits video and audio signal. Plastic housing, black color, bus powered.
8140	<b>Mini-DisplayPort to DisplayPort cable, 1.8 m</b> EAN 7640113430252		Mini-DisplayPort to DisplayPort cable. Connects external Monitors, projectors, etc. with up to 4K resolution. Transmits video and audio signal. White color, 1.8 m.
8305	<b>Mini-DisplayPort to Mini-DisplayPort cable, 1.8 m</b> EAN 7640113430306		Mini-DisplayPort to Mini-DisplayPort cable. Can be used for Target Display Mode (TDM). For more information about TDM, please visit Apple.com (HT204592). White color, 1.8 m.
8352	<b>Mini-DisplayPort to Mini-DisplayPort cable, 4.5 m</b> EAN 7640113430313		Mini-DisplayPort to Mini-DisplayPort cable. Can be used for Target Display Mode (TDM). For more information about TDM, please visit Apple.com (HT204592). White color, 4.5 m.
8365	<b>LMP Mini-DisplayPort &amp; Toslink 5.1 Audio to HDMI adapter</b> EAN 7640113430344		Mini-DisplayPort, USB and Toslink to HDMI adapter. To be used with 1st generation Mac with Mini-DisplayPort to transmit video and audio signal. White color, 1.8 m.
7860	<b>LMP Mini-DisplayPort &amp; USB to Mini-DisplayPort &amp; USB cable, 1.8 m</b>		Mini-DisplayPort extension cable for Apple Cinema Display with Mini-DisplayPort connection to Mac. White color, 1.8 m.
7861	<b>LMP Mini-DisplayPort &amp; USB to Mini-DisplayPort &amp; USB cable, 3 m</b> EAN 7640113430214		Mini-DisplayPort extension cable for Apple Cinema Display with Mini-DisplayPort connection to Mac. White color, 3 m.
7950	<b>LMP Mini-DisplayPort &amp; USB to Mini-DisplayPort &amp; USB cable, 4.5 m</b> EAN 7640113430221		Mini-DisplayPort extension cable for Apple Cinema Display with Mini-DisplayPort connection to Mac. White color, 4.5 m.
9218	<b>LMP Mini-DisplayPort to HDMI cable, white, 2 m</b> EAN 7640113430474		Mini-DisplayPort/Thunderbolt to HDMI (1.3) cable. Connects a Mac to a HDTV to transfer video and audio in High-Definition. White color, 2 m.
8307	<b>LMP HDMI to HDMI cable, HDMI 1.4, black, 2 m</b> EAN 7640113430443		HDMI (1.4) to HDMI (1.4) cable. Connects an external monitor to a Mac with HDMI port. Black color, 2 m.
8309	<b>LMP HDMI to HDMI cable, HDMI 1.4, black, 5 m</b> EAN 7640113430450		HDMI (1.4) to HDMI (1.4) cable. Connects an external monitor to a Mac with HDMI port. Black color, 5 m.
10112	<b>LMP HDMI cable, Type A-A, HDMI 1.4, super slim, white, 2 m</b> EAN 7640113430696		HDMI (1.4) to HDMI (1.4) cable. Connects an external monitor to a Mac with HDMI port. Super slim, white color, 2 m.
10129	<b>LMP HDMI cable, Type A-A, HDMI 1.4, super slim, black, 2 m</b> EAN 7640113430702		HDMI (1.4) to HDMI (1.4) cable. Connects an external monitor to a Mac with HDMI port. Super slim, black color, 2 m.

# Ethernet Cables (Cat. 6)

**P/N Description**

**Information**

**10268 Ethernet Patch Cable, Cat. 6, S-STP, 0.5 m**  
EAN 7640113430733



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 0,5 m.

**10269 Ethernet Patch Cable, Cat. 6, S-STP, 1 m**  
EAN 7640113430757



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 1 m.

**10270 Ethernet Patch Cable, Cat. 6, S-STP, 2 m**  
EAN 7640113430764



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 2 m.

**10271 Ethernet Patch Cable, Cat. 6, S-STP, 3 m**  
EAN 7640113430771



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 3 m.

**10272 Ethernet Patch Cable, Cat. 6, S-STP, 5 m**  
EAN 7640113430740



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 5 m.

**10273 Ethernet Patch Cable, Cat. 6, S-STP, 7 m**  
EAN 7640113430788



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 7 m.

**10274 Ethernet Patch Cable, Cat. 6, S-STP, 10 m**  
EAN 7640113430795



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 10 m.

**10275 Ethernet Patch Cable, Cat. 6, S-STP, 15 m**  
EAN 7640113430801



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 15 m.

**10276 Ethernet Patch Cable, Cat. 6, S-STP, 20 m**  
EAN 7640113430818




S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 20 m.

**10277 Ethernet Patch Cable, Cat. 6, S-STP, 30 m**  
EAN 7640113430825



S-STP (S-FTP) shielded screened twisted pair cable, Cat. 6 with gold plated pins for excellent data transfer up to 1000 Mbps. Gray color, connector latch protection, 30 m.



S-STP cable profile

## Thunderbolt 2 (20G) Cables

P/N Description

12780 LMP Thunderbolt 2 cable, 0.5 m  
EAN 7640113431389



### Information

Active electrical (copper) Thunderbolt 2 cable. Supports PCIe and DisplayPort protocol, Thunderbolt 2 (20G) and is downward compatible to Thunderbolt 1 (10G). Supports 20 Gbps TB 2 and 10 Gbps TB 1 connection at full speed over entire length of cable. Intel and Apple certified. Black color, 0.5 m.

12783 LMP Thunderbolt 2 cable, 1 m  
EAN 7640113431396



Active electrical (copper) Thunderbolt 2 cable. Supports PCIe and DisplayPort protocol, Thunderbolt 2 (20G) and is downward compatible to Thunderbolt 1 (10G). Supports 20 Gbps TB 2 and 10 Gbps TB 1 connection at full speed over entire length of cable. Intel and Apple certified. Black color, 1 m.

12786 LMP Thunderbolt 2 cable, 2 m  
EAN 7640113431402



Active electrical (copper) Thunderbolt 2 cable. Supports PCIe and DisplayPort protocol, Thunderbolt 2 (20G) and is downward compatible to Thunderbolt 1 (10G). Supports 20 Gbps TB 2 and 10 Gbps TB 1 connection at full speed over entire length of cable. Intel and Apple certified. Black color, 2 m.

12789 LMP Thunderbolt 2 cable, 3 m  
EAN 7640113431419



Active electrical (copper) Thunderbolt 2 cable. Supports PCIe and DisplayPort protocol, Thunderbolt 2 (20G) and is downward compatible to Thunderbolt 1 (10G). Supports 20 Gbps TB 2 and 10 Gbps TB 1 connection at full speed over entire length of cable. Intel and Apple certified. Black color, 3 m.

12792 LMP Thunderbolt 2 cable, 10 m  
EAN 7640113431426



Active optical Thunderbolt 2 cable. Supports PCIe and Displayport protocol, Thunderbolt 2 (20G) and is downward compatible to Thunderbolt 1 (10G). Supports 20 Gbps TB 2 and 10 Gbps TB 1 connection at full speed over entire length of cable. Intel and Apple certified. Purple color, 10 m.

12793 LMP Thunderbolt 2 cable, 20 m  
EAN 7640113431433



Active optical Thunderbolt 2 cable. Supports PCIe and Displayport protocol, Thunderbolt 2 (20G) and is downward compatible to Thunderbolt 1 (10G). Supports 20 Gbps TB 2 and 10 Gbps TB 1 connection at full speed over entire length of cable. Intel and Apple certified. Purple color, 20 m.

12794 LMP Thunderbolt 2 cable, 30 m  
EAN 7640113431440



Active optical Thunderbolt 2 cable. Supports PCIe and Displayport protocol, Thunderbolt 2 (20G) and is downward compatible to Thunderbolt 1 (10G). Supports 20 Gbps TB 2 and 10 Gbps TB 1 connection at full speed over entire length of cable. Intel and Apple certified. Purple color, 30 m.

## FireWire Adapters & Cables

7527 LMP FireWire 400/800 adapter  
EAN 7640113430139



Legacy FireWire 800 to FireWire 400 adapter.

8128 LMP FireWire 400/800, 0.5 m  
EAN 7640113430337



Legacy FireWire 800 to FireWire 400 cable. Black color, 0.5 m.

5018 LMP FireWire 400/800, 1 m  
EAN 7640113430115

Legacy FireWire 800 to FireWire 400 cable. Black color, 1 m.

5019 LMP FireWire 400/800, 1.8 m  
EAN 7640113430122

Legacy FireWire 800 to FireWire 400 cable. Black color, 1.8 m.

8130 LMP FireWire 800, 0.5 m  
EAN 7640113430375



Legacy FireWire 800 to FireWire 800 cable. Black color, 0.5 m.

4097 LMP FireWire 800, 1.8 m  
EAN 7640113430368

Legacy FireWire 800 to FireWire 800 cable. Black color, 1.8 m.

8636 LMP FireWire 800, 4.5 m  
EAN 7640113430467

Legacy FireWire 800 to FireWire 800 cable. Black color, 4.5 m.