

ZYXEL

Zyxel GS1100-10HP v2 Unmanaged Gigabit Ethernet
(10/100/1000) Power over Ethernet (PoE) Black

Brand : Zyxel

Product code: GS1100-10HP-EU0102F

Product name : GS1100-10HP v2

8-port GbE Unmanaged PoE Switch with GbE Uplink

Zyxel GS1100-10HP v2. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 8000 entries, Switching capacity: 20 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE.... DC input voltage: 54 V. Power connector: DC-in jack. Power over Ethernet (PoE). Wall mountable



Management features		Power over Ethernet (PoE)	
Switch type *	Unmanaged	Power over Ethernet (PoE) *	✓
Ports & interfaces		Power over Ethernet (PoE) ports quantity	8
Basic switching RJ-45 Ethernet ports quantity *	8	Total Power over Ethernet (PoE) budget	130 W
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Operational conditions	
SFP module slots quantity	2	Operating temperature (T-T)	0 - 50 °C
Power connector	DC-in jack	Storage temperature (T-T)	-40 - 70 °C
Network		Operating relative humidity (H-H)	10 - 90%
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Storage relative humidity (H-H)	10 - 95%
10G support *	✗	Heat dissipation	89 BTU/h
Auto MDI/MDI-X	✓	Weight & dimensions	
Ethernet LAN data rates	100,1000 Mbit/s	Width	250 mm
Data transmission		Depth	104 mm
Switching capacity *	20 Gbit/s	Height	27 mm
Forwarding rate	14.88 Mpps	Weight	730 g
MAC address table *	8000 entries	Packaging data	
Jumbo frames support	✓	Package width	228 mm
Jumbo frames	9000	Package depth	304 mm
Packet buffer memory	0.256 MB	Package height	67 mm
Design		Package weight	1.97 kg
Product colour	Black	Sustainability	
LED indicators	✓	Sustainability compliance	✓
Wall mountable	✓	Certificates	
Number of fans	0 fan(s)	Compliance certificates	RoHS

Performance		Logistics data	
Mean time between failures (MTBF)		Country of origin	China
		Master (outer) case width	323 mm
Power		Master (outer) case length	558 mm
Power source *	AC/DC	Master (outer) case height	275 mm
Power supply included *	✓	Harmonized System (HS) code	85176990
AC input voltage	100 - 240 V	Master (outer) case gross weight	13.7 kg
AC input frequency	50 - 60 Hz	Products per master (outer) case	8 pc(s)
DC input voltage	54 V		
Power consumption (max)	156.1 W		



4718937621187

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-MAY-2025. Prints or copies of Information are only valid on the printed Publication date