

BenQ LU935 Standard throw projector 6000 ANSI lumens DLP WUXGA (1920x1200) White

Brand : BenQ

Product code: 9H.JNN77.15E

Product name : LU935

- Large H/V lens shift and 1.6X Big zoom perfect for in-house installation

- Native resolution switch to 1080P for multi-display compatibility

- HDMI 2.0 ports with less friction and great brightness

- IP5X dustproof mechanism reducing maintenance costs

DLP, 1920x1200, 6000 lm, HDMI, VGA, LAN, RS-232, USB, 100-240V, 416x166x351 mm

BenQ LU935. Projector brightness: 6000 ANSI lumens, Projection technology: DLP, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h. Focus: Manual, Aperture range (F-F): 1.83 - 1.86, Zoom ratio: 1.6:1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size





Projector		Ports & interfaces	
Screen size compatibility *762 - 7620 mm (30 - 300")Contrast ratio (dynamic)3000000:1Projector brightness *6000 ANSI lumensProjection technology *DLPProjector native resolution *WUXGA (1920x1200)		DVI port *	x
	6000 ANSI lumens	AC (power) in	1
		Network	
		Smart TV *	×
Contrast ratio (typical) *	3000000:1	Ethernet LAN *	✓
Native aspect ratio *	16:10	Ethernet LAN (RJ-45) ports	1
Number of colours1.07 billion coloursHorizontal scan range15 - 102 kHzVertical scan range24 - 120 HzKeystone correction, horizontal-30 - 30°Keystone correction, vertical-30 - 30°		Wi-Fi *	×
		Storage	
		Card reader integrated *	x
		Features	
Matrix size	1.22 cm (0.48")	Interactive *	×
Light source		HDCP	1
Light source type *	Laser	On Screen Display (OSD)	1
Service life of light source *	20000 h	Multimedia	
Lens system		Built-in speaker(s) *	1
Focus *	Manual	RMS rated power	10 W
Aperture range (F-F)	1.83 - 1.86 ✓	Design	
Zoom capability Zoom ratio	1.6:1	Market positioning *	Business
Throw ratio	1.36 - 2.18	Product type *	Standard throw projector
Horizontal lens shift range	-23 - 23%	Product colour *	White
Vertical lens shift range	-60 - 60%	Cable lock slot	1
Video		Cable lock slot type	Kensington
Analog signal format system *	NTSC, PAL, SECAM	Display	
Full HD *	✓	Built-in display *	×

Video		Power	
Supported graphics resolutions	640 x 480 (VGA)	Power source *	AC
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (typical) * Power consumption (standby) *	440 W 0.5 W
Ports & interfaces		AC input voltage	100 - 240 V
HDMI connector type	Full-size	AC input frequency	50 - 60 Hz
HDBaseT port	1	Operational conditions	
USB 2.0 ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	Weight & dimensions	
PC Audio in	1	Width	416 mm
PC Audio out	1	Depth	351 mm
VGA (D-Sub) ports quantity *	2	Height	166 mm
HDMI ports quantity *	2	Weight *	7 kg
		Packaging content	

Packaging content Remote control included *

Cables included
Logistics data

Harmonized System (HS) code

85286200

✓

AC



4718755084591

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.