

Canon i-SENSYS MF237w Laser A4 1200 x 1200 DPI 23 ppm Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: i-SENSYS

Tuotekoodi: 1418C161

Tuotteen nimi : MF237w

Canon i-SENSYS MF237w. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: 1200 x 1200 DPI. Kopiointi: Yksittäiskopiointi, Kopiointin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Yksittäisfaksin lähetyks. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



Printing		Paper handling	
Print technology *	Laser	Paper tray media weight	60 - 163 g/m ²
Printing *	Mono printing	Multi-Purpose Tray media weight	60 - 163 g/m ²
Maximum resolution *	1200 x 1200 DPI	Auto Document Feeder (ADF) media weight	50 - 105 g/m ²
Print speed (black, normal quality, A4/US Letter) *	23 ppm	Ports & interfaces	
Time to first page (black, normal)	6 s	Standard interfaces	Ethernet, USB 2.0, Wireless LAN
Copying		USB port	✓
Copying *	Mono copying	Network	
Maximum copy resolution *	600 x 600 DPI	Wi-Fi *	✓
Copy speed (black, normal quality, A4)	23 cpm	Ethernet LAN *	✓
Time to first copy (black, normal)	9 s	Cabling technology	10/100Base-T(X)
Maximum number of copies	999 copies	Ethernet LAN data rates	10,100 Mbit/s
Copier resize	25 - 400%	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Scanning		Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, HTTPS, IPSEC, WEP, WPA2-AES, WPA2-PSK, WPA2-TKIP
Scanning *	Colour scanning	Supported network protocols (IPv4)	LPD, RAW, WSD-Print, Email, SMB, WSD-Scan, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP, DHCP, ARP+PING, Auto IP, WINS, SNMPv1, SNMPv3
Optical scanning resolution *	600 x 600 DPI	Supported network protocols (IPv6)	LPD, RAW, WSD-Print, Email, SMB, WSD-Scan, Bonjour(mDNS), HTTP, HTTPS, POP before SMTP, DHCPv6, SNMPv1, SNMPv3
Maximum scan resolution	9600 x 9600 DPI	Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service
Scanner type *	Flatbed & ADF scanner	Performance	
Scan to	Cloud, E-mail, PC	Internal memory *	256 MB
Scan speed (colour)	15 ppm	Sound pressure level (printing)	66 dB
Scan speed (black)	20 ppm	Design	
Image formats supported	JPEG XR, PNG, TIF	Product colour *	Black
Document formats supported	PDF	Market positioning *	Business
Input colour depth	24 bit	Built-in display *	✓
Output colour depth	24 bit	Display	LCD
Greyscale levels	256	Touchscreen	✓
Scan drivers	ICA, TWAIN, WIA	Display number of lines	6 lines
Fax			
Faxing *	Mono faxing		
Fax resolution (black)	200 x 200 DPI		
Fax resolution (colour)	200 x 200 DPI		
Fax transmission speed	3 sec/page		
Modem speed	33.6 Kbit/s		
Fax memory	256 pages		
Fax speed dialing (max numbers)	104		
Fax forwarding	✓		

Fax		Design	
Fax broadcasting	114 locations	Control type	Touch
Fax dual access	✓	Power	
Features		Power consumption (max)	1120 W
Recommended duty cycle	500 - 2000 pages per month	Power consumption (standby)	5.1 W
Maximum duty cycle *	15000 pages per month	Power consumption (sleep)	1.2 W
Page description languages	UFRII-LT	Power consumption (off)	0.5 W
Input & output capacity		Energy Star Typical Electricity Consumption (TEC)	0.7 kWh/week
Total input capacity *	250 sheets	AC input voltage	220 - 240 V
Total output capacity *	100 sheets	AC input frequency	50 - 60 Hz
Multi-Purpose tray	✓	System requirements	
Multi-Purpose tray input capacity	1 sheets	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64 Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks Linux operating systems supported ✓ Windows Server 2003, Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2	
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	35 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Bond paper, Envelopes, Heavy paper, Labels, Plain paper, Recycled paper		
ISO A-series sizes (A0...A9) *	A4, A5		
ISO B-series sizes (B0...B9)	B5		
Non-ISO print media sizes	16K, Executive, Index card, Letter, Oficio, Statement		
Envelopes sizes	10, C5, DL		
Operational conditions		Windows operating systems supported	
Operating relative humidity (H-H)	20 - 80%	Mac operating systems supported	
Operating temperature (T-T)	10 - 30 °C	Linux operating systems supported	✓
Sustainability		Server operating systems supported	
Sustainability certificates	ENERGY STAR	Weight & dimensions	
Weight & dimensions		Width	390 mm
Depth	371 mm	Height	360 mm
Weight	11.4 kg	Packaging content	
Packaging content		Cartridge(s) included	✓
Logistics data		Logistics data	
Harmonized System (HS) code	84433100		



8714574661452

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-MAR-2025. Prints or copies of Information are only valid on the printed Publication date