



## CLUB3D CSV-7210 KVM-kytkin musta

**Tuotemerkki :** CLUB3D

**Tuotekoodi:** CSV-7210

**Tuotteen nimi :** CSV-7210

CLUB3D CSV-7210. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: HDMI/DisplayPort. HD-tyyppi: 4K Ultra HD, Enimmäiserottelutarkkuus: 4096 x 2160 pikseliä, Videokaistanleveys: 60 Hz. Tuotteen väri: musta, Kotelon materiaali: Metall. Voimanlähde: DC, Tulojännite: 5 V, Virrankulutus: 12 W. Tuotteen leveys: 178 mm, Tuotteen syvyys: 75 mm, Tuotteen korkeus: 26 mm



CSV-7210


Connect



CSV-7210

Ports & interfaces		Power	
Number of computers controlled *	2	Power consumption (typical)	12 W
Keyboard port type *	USB	External power adapter	✓
Mouse port type *	USB	<b>System requirements</b>	
Video port type *	HDMI/DisplayPort	Windows operating systems supported	✓
HDMI ports quantity	1	Linux operating systems supported	✓
DisplayPorts quantity	3	Mac operating systems supported	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	2	<b>Operational conditions</b>	
Console ports *	3.5mm headphone, 3.5mm mic, HDMI, USB B	Operating temperature (T-T)	0 - 45 °C
Audio connections	✓	Storage temperature (T-T)	-10 - 80 °C
Headphone outputs	4	Operating relative humidity (H-H)	10 - 85%
Number of microphone inputs	4	Storage relative humidity (H-H)	5 - 90%
DC-in jack	✓	<b>Weight &amp; dimensions</b>	
<b>Performance</b>		Width	178 mm
HD type *	4K Ultra HD	Depth	75 mm
Maximum resolution *	4096 x 2160 pixels	Height	26 mm
Video bandwidth	60 Hz	Weight	370 g
Data transfer rate (max)	32.4 Gbit/s	<b>Packaging data</b>	
High Dynamic Range (HDR) supported	✓	Package width	230 mm
HDCP	✓	Package depth	65 mm
Plug and Play	✓	Package height	210 mm
HDCP version	1.4/2.2	Package weight	787 g
<b>Design</b>		Package type	Box
Rack mounting *	✗	<b>Packaging content</b>	
Product colour *	Black	Cables included	USB Type-A to USB Type-B
Housing material	Metal	Quick installation guide	✓

<b>Design</b>		<b>Packaging content</b>	
LED indicators	✓	AC adapter included	✓
<b>Display</b>		Remote control included	✓
Built-in display *	✗	<b>Logistics data</b>	
<b>Power</b>		Harmonized System (HS) code	84719000
Power source	DC		
Input voltage	5 V		



8719214472238



0841615102457



841615102457

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.