

## Fujitsu PRIMERGY RX2520 M5 server 0 GB Rack (2U) Intel® Xeon® Gold 5222 3.8 GHz 32 GB DDR4-SDRAM 800 W

Brand : Fujitsu

Product family: PRIMERGY

**Product code:** VFY:R2525SC050IN

Product name : RX2520 M5

Intel Xeon Gold 5222 (16.5M Cache, 3.80 GHz), Intel C624, 32GB DDR4, No OS Fujitsu PRIMERGY RX2520 M5. Processor family: Intel® Xeon® Gold, Processor frequency: 3.8 GHz, Processor model: 5222. Internal memory: 32 GB, Internal memory type: DDR4-SDRAM. Total storage capacity: 0 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 800 W, Redundant power supply (RPS) support. Chassis type: Rack (2U)





## Processor

Processor		Expansion slots	
Processor manufacturer *	Intel	PCI Express x16 (Gen 3.x) slots	3
Processor family *	Intel® Xeon® Gold	PCI Express slots version	3.0
Processor generation	2nd Generation Intel® Xeon® Scalable	Design	
Processor model *	5222	Chassis type *	Rack (2U)
Processor frequency *	3.8 GHz	Rack mounting	1
Processor boost frequency	3.9 GHz	Redundant fans support	1
Processor cores	4	Rack rails	1
Processor cache	16.5 MB	Performance	
Motherboard chipset	Intel® C624		
Number of processors installed	1	Trusted Platform Module (TPM)	✓
Thermal Design Power (TDP)	105 W	Trusted Platform Module (TPM) version	2.0
Processor cache type	L3	version	
Maximum number of SMP processors	2	Software	
Processor socket	LGA 3647 (Socket P)	Operating system installed *	×
Processor lithography	14 nm	Compatible operating systems *	Microsoft Hyper-V Server 2016 Microsoft Windows Server 2016 Datacenter Microsoft Windows Server 2016 Standard Microsoft Windows Server 2016 Essentials Microsoft Windows Storage Server 2016 Standard Microsoft Hyper-V Server 2012 R2 Microsoft Windows Server 2012 R2 Datacenter Microsoft Windows Server 2012 R2 Standard Microsoft Windows Server 2012 R2 Essentials Microsoft Windows Storage Server 2012 R2 Standard VMware vSphere 6.5 VMware vSphere 6.0 SUSE Linux Enterprise Linux 7 Red Hat Enterprise Linux 6 Univention
Processor threads	8		
Processor operating modes	64-bit		
Processor codename	Cascade Lake		
Tcase	72 °C		
Maximum internal memory supported by processor	1.02 TB		
Memory types supported by processor	DDR4-SDRAM		
Memory clock speeds supported by processor	2933 MHz		
Execute Disable Bit	1		
Maximum number of PCI Express lanes	48		
Processor package size	76.0 x 56.5 mm		Corporate Server 4
Supported instruction sets	AVX-512	Processor special features	
Scalability	4S	Enhanced Intel SpeedStep	
Embedded options available	×	Technology	
Memory		Intel Virtualization Technology for Directed I/O (VT-d)	1
Internal memory *	32 GB	Intel® Hyper Threading Technology	1
Internal memory type *	DDR4-SDRAM	(Intel® HT Technology)	<b>v</b>

Memory		Processor special features	
Memory slots	12	Intel® Turbo Boost Technology	2.0
ECC Memory clock speed	✓ 2933 MHz	Intel® AES New Instructions (Intel® AES-NI)	1
Maximum internal memory *	768 GB	Intel Trusted Execution Technology	1
Storage		Intel VT-x with Extended Page Tables (EPT)	1
Total storage capacity *	0 GB	Intel TSX-NI	1
Supported HDD sizes	2.5"	Intel 64	1
RAID support * RAID levels	<ul><li>✓</li><li>0, 1</li></ul>	Intel Virtualization Technology (VT- x)	✓
Hot-Plug support	✓	Processor ARK ID	192445
Hot-swap	1	Power	
Optical drive type *	×	Redundant power supply (RPS)	1
Graphics		support * Power supply *	800 W
On-board graphics card model	Not available	Number of redundant power	2
Network		supplies installed	2
Ethernet LAN	1	Operational conditions	
Cabling technology Ethernet interface type	10/100/1000Base-T(X) Gigabit Ethernet	Operating temperature (T-T) Operating relative humidity (H-H)	5 - 45 °C 10 - 85%
Ports & interfaces		Certificates	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	6	Certification	CB, RoHS, WEEE, GS, CE, CSAc/us, FCC Class A, ICES-003/NMB-003 Class A, VCCI:V3 Class A + JIS
Expansion slots		Certification	61000-3-2, EAC, KC, CCC, RCM,
PCI Express x8 (Gen 3.x) slots	3		BSMI
		Weight & dimensions	
		Width	482.4 mm
		Depth	770 mm
		Height	86.6 mm

Weight

25 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.