Epson EcoTank ET-M16600 Inkjet A3 4800 x 2400 DPI 25 ppm Wi-Fi

Brand : Epson

Product family: EcoTank

Product code: C11CJ41401

Product name : ET-M16600

PrecisionCore Print Head, Print, Scan, Copy, 1200 DPI x 2400 DPI, USB, Ethernet, Wireless LAN IEEE 802.11a/b/g/n, 20.2 kg

Epson EcoTank ET-M16600. Print technology: Inkjet, Printing: Mono printing, Maximum resolution: 4800 x 2400 DPI. Copying: Mono copying. Scanning: Mono scanning, Optical scanning resolution: 1200 x 2400 DPI. Maximum ISO A-series paper size: A3. Wi-Fi. Product colour: Black





Printing		Performance	
Duplex printing mode	Auto	Card reader integrated	×
Print technology *	Inkjet	5	<u> </u>
Printing *	Mono printing	Design	
Duplex printing *	 Image: A set of the set of the	Product colour *	Black
Maximum resolution *	4800 x 2400 DPI	Market positioning *	Home & office
Print speed (black, normal quality,	25 ppm	Built-in display * Display	✓ LCD
A4/US Letter) * Print speed (ISO/IEC 24734) black	25 ppm	Display diagonal	6.86 cm (2.7")
Duplex print speed (black, normal		Touchscreen	✓ ···· (_···)
quality, A4/US Letter)	16 ppm	Control type	Touch
Duplex print speed (ISO/IEC 24734, A4) black	16 ppm	Colour display	 ✓
Copying		Power	
Copying *	Mono copying	Power consumption (copying)	19 W
Scanning		Power consumption (ready)	8 W
-		Power consumption (off)	0.15 W
Duplex scanning *		AC input frequency	50 - 60 Hz
Scanning *	Mono scanning	System requirements	
Optical scanning resolution * Scan technology Scan to Image formats supported Document formats supported	1200 x 2400 DPI CIS Cloud BMP, JPEG, TIFF, PNG PDF	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64
	PDF	Mac operating systems supported	1
Fax		Weight & dimensions	
Faxing *	×	Width	515 mm
Features		Depth	500 mm
Maximum duty cycle *	5800 pages per month	Height	350 mm
Number of print cartridges *	1	Weight	20.2 kg
Printing colours * Country of origin	Black Indonesia	Packaging data	
		Package width	560 mm
		Package depth	585 mm

	Packaging data	
1 125 sheets	Package height Package weight Quantity per pack	440 mm 23.6 kg 1 pc(s)
50 sheets 550 sheets	Packaging content Included cartridge capacity (black)	4500 pages
		AC ✓
Envelopes A3, A3+, A4, A5, A6 B4, B5, B6 Legal, Letter C4, C6, DL 10x15,13x18,20x25	Logistics data Harmonized System (HS) code Pallet gross weight	84433100 0 g 8 pc(s)
	Pallet weight (UK) Products per pallet (UK)	0 g 8 pc(s)
64 - 255 g/m²	Other features	
	Printing method	Epson PrecisionCore
1	Number of users	4 user(s)
 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n) 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint, Mopria Print Service 	Compatible operating systems	Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.13.x, Mac OS X 10.6.8, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 Bit), Windows 8.1 (32/64 bit), Windows 8.1 x64 Edition, Windows Server 2003, Windows Server 2003 R2 x64, Windows Server 2003 SP2, Windows Server 2008 (32/64 Bit), Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 Bit)
	125 sheets 50 sheets 50 sheets 50 sheets 50 sheets 64-bit WEP, 128-bit WEP, WPA-PSK, WAA, PS, AB, BB, BB, BB, BB, BB, BB, BB, BB, BB	1Package height125 sheetsPackage weight125 sheetsPackaging content50 sheetsIncluded cartridge capacity (black)50 sheetsCables included50 sheetsMarranty cardA3Logistics dataA3, A3+, A4, A5, A6Harmonized System (HS) codeB4, B5, B6Pallet gross weightLegal, LetterPallet weight (UK)C4, C6, DLPallet weight (UK)10x15,13x18,20x25Other features64 - 255 g/m2Printing methodVNumber of usersVS02.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIPCompatible operating systemsFpson Connect, Epson iPrint, Epson Email Print, Epson Remote Print,


Ink drop

Print head nozzles

Supported network protocols

3.8

800 nozzles black IPv4, IPv6



8715946683676

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.